

Logitech ConferenceCam Connect

Brand : Logitech

Product code: 960-001034

Product name : ConferenceCam Connect

- Portable all-in-one design. Sleek, easy to carry and a snap to set up and use to expand the collaborative potential of the Anywhere Workplace.
- Optimised for teams of one to six. Experience HD 1080p video, 360-degree sound and wireless screen-mirror projection in virtually any workspace—and watch productivity soar.
- Multi-device connectivity. Simply connect a PC or Mac to conduct lifelike meetings within the user's familiar computing environment or use the convenience of wireless connectivity for screen mirroring and audio pairing from a compatible mobile device. Compatible with Android and Windows 8.1 – see specifications for requirements.
- Interact with everyone at the table. The 90-degree field of view with digital pan, tilt and the 4X digital zoom in Full HD is ideal for small group meetings.
- Hear and be heard. The acoustics are tuned to provide a quality experience so that users can hear and be heard within a 3.6-metre (12-foot) diameter range.



| Camera | | Performance | |
|-------------------------------|----------------------|--|----------------|
| Zoom capability | ✓ | Bluetooth | ✓ |
| Digital zoom | 4x | Near Field Communication (NFC) | ✓ |
| Field of view (FOV) angle | 90° | Remote control function | ✓ |
| Focus adjustment | Auto | Remote control transmission distance | 3.048 m |
| PTZ control | ✓ | Plug and Play | ✓ |
| Photo feature | ✓ | Cable lock slot | ✓ |
| Privacy camera | ✓ | Cable lock slot type | Kensington |
| Privacy type | Privacy shutter | | |
| Video | | Audio | |
| HD type * | Full HD | Built-in microphone | ✓ |
| Maximum video resolution * | 1920 x 1080 pixels | Number of microphones | 2 |
| Supported video modes | 1080p, 720p | Microphone frequency response | 100 - 16000 Hz |
| Video formats supported | H.264 | Microphone sensitivity | -34 dB |
| Design | | Microphone Total Harmonic Distortion (THD) | 1% |
| Product colour * | Silver | Built-in speaker(s) | ✓ |
| Mounting type | Stand | Sound pressure level (max) | 91.5 dB |
| Tilt angle range | -10 - 10° | Speaker frequency range | 140 - 16000 Hz |
| Power | | Microphone pick-up range | 3.6 m |
| Power source type | AC, Battery | Logistics data | |
| Talk time | 15 h | Master (outer) case gross weight | 6.5 kg |
| Battery technology | Lithium-Ion (Li-Ion) | Master (outer) case length | 428 mm |
| Battery capacity | 3200 mAh | Master (outer) case width | 308 mm |
| Number of batteries supported | 1 | Master (outer) case height | 200 mm |
| | | Harmonized System (HS) code | 85176990 |

| Packaging content | | Battery |
|-------------------------------------|---|---|
| Remote control included | ✓ | Battery capacity 11.52 Wh |
| Cables included | USB | Weight & dimensions |
| USB cable length | 1.8 m | |
| Quick start guide | ✓ | Remote control dimensions (W x H x D) 41 x 128 x 9 mm |
| AC adapter included | ✓ | Remote control weight 32 g |
| | ConferenceCam Connect device | Width 75 mm |
| | Power adapter with plug Regional | Depth 75 mm |
| Packaging content | plugs USB cable User documentation 2-year manufacturer's guarantee and full product support | Height 304.2 mm |
| | | Weight 766 g |
| System requirements | | Packaging data |
| Windows operating systems supported | Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1 | Package width 90 mm |
| | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey | Package depth 148 mm |
| Mac operating systems supported | | Package height 420 mm |
| Other operating systems supported | ChromeOS | Package weight 1.49 kg |
| Mobile operating systems supported | Android 10.0, Android 11.0, Android 12.0, Android 4.3, Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 9.0 | |
| Minimum RAM | 2000 MB | |



5099206059030



3082015015832



4082015033958

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.