

Epson WorkForce DS-6500

Brand : Epson

Product family: WorkForce

Product code: B11B205231


Product name : Epson
WorkForce DS-6500



A4, 1200 x 1200 dpi, ReadyScan LED, 25 ppm, 50 - 128 gsm, USB 2.0, 44.5 W, 9800 g, White
Epson WorkForce DS-6500. Maximum scan size: 215.9 x 1016 mm, Optical scanning resolution: 1200 x 1200 DPI, Input colour depth: 48 bit. Scanner type: Flatbed & ADF scanner, Product colour: White. Daily duty cycle (max): 3000 pages, Light source: ReadyScan LED, Scan file formats: JPG, PDF, TIFF. Maximum ISO A-series paper size: A4, Scanning media types supported: Plain paper, ISO A-series sizes (A0...A9): A4, A5, A6. Standard interfaces: USB 2.0

Scanning		Packaging data	
Maximum scan size *	215.9 x 1016 mm	Quantity per pack	1 pc(s)
Optical scanning resolution *	1200 x 1200 DPI	Package width	325 mm
Colour scanning	✓	Package depth	595 mm
Duplex scanning *	✓	Package height	495 mm
Input colour depth	48 bit	Package weight	12.4 g
Output colour depth	24 bit	Sustainability	
Design		Sustainability certificates	ENERGY STAR
Scanner type *	Flatbed & ADF scanner	System requirements	
Product colour *	White	Compatible operating systems	
Built-in display *	✗	Mac OS 10.4.11+ Presentation Server 4.5 Terminal Service Windows 7 (32/64-bit) Windows Server 2003 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2008 R2 Windows Vista (32/64-bit) Windows XP (32/64-bit) Windows server 2003 R2 XenApp 5.0 XenApp 6.0	
Performance		Windows operating systems supported	✓
Light source	ReadyScan LED	Mac operating systems supported	✓
Scan file formats	JPG, PDF, TIFF	USB required	✓
Daily duty cycle (max) *	3000 pages	Operational conditions	
Scan to	E-mail, FTP	Operating temperature (T-T)	5 - 35 °C
Scan drivers	ISIS, TWAIN, WIA	Storage temperature (T-T)	-25 - 60 °C
Paper handling		Operating relative humidity (H-H)	10 - 80%
Scanning media types supported	Plain paper	Storage relative humidity (H-H)	10 - 85%
Maximum ISO A-series paper size *	A4	Other features	
ISO A-series sizes (A0...A9)	A4, A5, A6	Simplex scan speed (colour)	25 ppm
ISO B-series sizes (B0...B9)	B5	Logistics data	
Letter	✓	Products per pallet	12 pc(s)
Legal	✓	Country of origin	China
Ports & interfaces		Pallet gross length	120 cm
USB port *	✓	Pallet gross width	80 cm
USB version	2.0		
Standard interfaces	USB 2.0		
Power			
Power supply type *	AC		
Power consumption (typical)	44.5 W		

Power		Logistics data	
Power consumption (standby)	1.6 W	Pallet gross height	157.8 cm
AC input frequency	50 - 60 Hz	Products per pallet layer	2 pc(s)
Input voltage	100-240 V	Products per pallet layer (UK)	4 pc(s)
Weight & dimensions		Products per pallet (UK)	24 pc(s)
Width	495 mm	Pallet length (UK)	120 cm
Depth	360 mm	Pallet width (UK)	100 cm
Height	217 mm	Pallet height (UK)	157.8 cm
Weight	9.8 kg	Harmonized System (HS) code	84716070



8715946499215

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date