

Epson WorkForce DS-70000

Brand : Epson

Product family: WorkForce

Product code: B11B204331

Product name : Epson
WorkForce DS-70000




ReadyScan LED, 600 DPI, A3, 70 ppm, USB 2.0 Type B

Epson WorkForce DS-70000. Maximum scan size: 297 x 2540 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit. Scanner type: Flatbed & ADF scanner, Product colour: Grey. Daily duty cycle (max): 8000 pages, Scan file formats: JPG, PDF, TIFF, Scan to: E-mail, FTP. Standard input capacity: 200 sheets. Maximum ISO A-series paper size: A3, ISO A-series sizes (A0...A9): A3, A4, A5, A6, ISO B-series sizes (B0...B9): B4, B5, B6

Scanning		Packaging content	
Maximum scan size *	297 x 2540 mm	Bundled software	EpsonNet Config, Epson Document Capture Pro Server (on free download), Epson Document Capture Pro, ABBYY FineReader Sprint 9.0 (Windows), ABBYY FineReader Sprint 8.0 (MacOS), Epson Scan, Epson Event Manager (Mac Only)
Optical scanning resolution *	600 x 600 DPI		
Colour scanning	✓		
Duplex scanning *	✓		
Input colour depth	48 bit		
Output colour depth	24 bit		
Film scanning	✗		
ADF scan speed (b/w, A4)	70 ppm		
ADF scan speed (colour, A4)	70 ppm	Sustainability	
Design		Sustainability certificates	ENERGY STAR
Scanner type *	Flatbed & ADF scanner	System requirements	
Product colour *	Grey	Mac compatibility	✓
Display	✗	Compatible operating systems	XenApp 6.0, XenApp 5.0, Windows server 2003 R2, Windows XP x64, Windows XP, Windows Vista x64, Windows Vista, Windows Server 2008 R2, Windows Server 2008 (32/64bit), Windows Server 2003 (32/64bit), Windows 7 x64, Windows 7, Terminal Service, Presentation Server 4.5, Mac OS 10.6+, Mac OS 10.5+, Mac OS 10.4+
Built-in display *	✗		
Performance			
Scan file formats	JPG, PDF, TIFF	Mac operating systems supported	✓
Daily duty cycle (max) *	8000 pages	Operational conditions	
Scan to	E-mail, FTP	Operating temperature (T-T)	5 - 35 °C
Input capacity		Storage temperature (T-T)	-25 - 60 °C
Standard input capacity	200 sheets	Operating relative humidity (H-H)	10 - 80%
Paper handling		Storage relative humidity (H-H)	10 - 85%
Maximum ISO A-series paper size *	A3	Other features	
ISO A-series sizes (A0...A9)	A3, A4, A5, A6	Network ready	✗
ISO B-series sizes (B0...B9)	B4, B5, B6	Standard media sizes	B6, B5, B4, A6, A5, A4, A3, Letter, Legal, Executive
Letter	✓	Box contents	Main unit, Power cable, Setup guide, Software (CD), USB cable, Warranty document
Legal	✓	Ports & interfaces	
Auto Document Feeder (ADF) media weight	35 - 128 g/m ²	USB port *	✓
Power		USB version	2.0
Power supply type *	AC	Standard interfaces	USB 2.0
Power consumption (typical)	79 W	Weight & dimensions	
Power consumption (standby)	1.5 W	Width	640 mm
Input voltage	100-240 V		

Weight & dimensions		Other features	
Depth	522 mm		Zonal OCR A & B support, Barcode Recognition, Automatic Folder Creation, Book spine correction, Descreening, Unsharp Mask (USM), Advanced cropping feature for Auto size, Edge enhancement, Text enhancement, Auto-rotation, Dual Image Output (Windows only), RGB colour enhance, Automatic multi-document recognition, Automatic de-skew, Automatic area segmentation, Pre-defined scanning settings, Punch holes removal, Skip blank page, RGB colour dropout, One keypress
Height	289 mm		
Weight	26.9 kg		
Packaging data			
Quantity per pack	1 pc(s)	Special features	
Package width	534 mm		
Package depth	875 mm		
Package height	745 mm		
Package weight	35 kg		
		Media weight (tray 1)	Auto loading:35 - 128 g/m ²
		Logistics data	
		Products per pallet	3 pc(s)
		Country of origin	China
		Pallet gross length	120 cm
		Pallet gross width	80 cm
		Pallet gross height	180 cm
		Products per pallet layer	1 pc(s)
		Products per pallet layer (UK)	1 pc(s)
		Products per pallet (UK)	3 pc(s)
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	180 cm
		Harmonized System (HS) code	84716070



8715946499239

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date