

## Epson WorkForce DS-70000

**Brand :** Epson

**Product family:** WorkForce

**Product code:** B11B204331

**Product name :** Epson  
WorkForce DS-70000




ReadyScan LED, 600 DPI, A3, 70 ppm, USB 2.0 Type B

Epson WorkForce DS-70000. Maximum scan size: 297 x 2540 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit. Scanner type: Flatbed & ADF scanner, Product colour: Grey. Daily duty cycle (max): 8000 pages, Scan file formats: JPG, PDF, TIFF, Scan to: E-mail, FTP. Standard input capacity: 200 sheets. Maximum ISO A-series paper size: A3, ISO A-series sizes (A0...A9): A3, A4, A5, A6, ISO B-series sizes (B0...B9): B4, B5, B6



Scanning		System requirements	
Maximum scan size *	297 x 2540 mm	Compatible operating systems	XenApp 6.0, XenApp 5.0, Windows server 2003 R2, Windows XP x64, Windows XP, Windows Vista x64, Windows Vista, Windows Server 2008 R2, Windows Server 2008 (32/64bit), Windows Server 2003 (32/64bit), Windows 7 x64, Windows 7, Terminal Service, Presentation Server 4.5, Mac OS 10.6+, Mac OS 10.5+, Mac OS 10.4+
Optical scanning resolution *	600 x 600 DPI		
Colour scanning	✓		
Duplex scanning *	✓		
Input colour depth	48 bit		
Output colour depth	24 bit		
Film scanning	✗		
ADF scan speed (b/w, A4)	70 ppm		
ADF scan speed (colour, A4)	70 ppm		
<b>Design</b>			
Scanner type *	Flatbed & ADF scanner	Mac operating systems supported	✓
Product colour *	Grey	<b>Operational conditions</b>	
Display	✗	Operating temperature (T-T)	5 - 35 °C
Built-in display *	✗	Storage temperature (T-T)	-25 - 60 °C
<b>Performance</b>		Operating relative humidity (H-H)	10 - 80%
Scan file formats	JPG, PDF, TIFF	Storage relative humidity (H-H)	10 - 85%
Daily duty cycle (max) *	8000 pages	<b>Weight &amp; dimensions</b>	
Scan to	E-mail, FTP	Width	640 mm
<b>Input capacity</b>		Depth	522 mm
Standard input capacity	200 sheets	Height	289 mm
<b>Paper handling</b>		Weight	26.9 kg
Maximum ISO A-series paper size *	A3	<b>Packaging content</b>	
ISO A-series sizes (A0...A9)	A3, A4, A5, A6	EpsonNet Config, Epson Document Capture Pro Server (on free download), Epson Document Capture Pro, ABBYY FineReader Sprint 9.0 (Windows), ABBYY FineReader Sprint 8.0 (MacOS), Epson Scan, Epson Event Manager (Mac Only)	
ISO B-series sizes (B0...B9)	B4, B5, B6		
Letter	✓		
Legal	✓		
Auto Document Feeder (ADF) media weight	35 - 128 g/m <sup>2</sup>		
<b>Ports &amp; interfaces</b>		<b>Other features</b>	
USB port *	✓	Network ready	✗
USB version	2.0	Standard media sizes	B6, B5, B4, A6, A5, A4, A3, Letter, Legal, Executive
Standard interfaces	USB 2.0	Box contents	Main unit, Power cable, Setup guide, Software (CD), USB cable, Warranty document
<b>Power</b>		<b>Features</b>	
Power supply type *	AC	Country of origin	
Power consumption (typical)	79 W	China	
Power consumption (standby)	1.5 W		
Input voltage	100-240 V		

Packaging data		Other features	
Quantity per pack	1 pc(s)		Zonal OCR A & B support, Barcode Recognition, Automatic Folder Creation, Book spine correction, Descreening, Unsharp Mask (USM), Advanced cropping feature for Auto size, Edge enhancement, Text enhancement, Auto-rotation, Dual Image Output (Windows only), RGB colour enhance, Automatic multi-document recognition, Automatic de-skew, Automatic area segmentation, Pre-defined scanning settings, Punch holes removal, Skip blank page, RGB colour dropout, One keypress
Package width	534 mm		
Package depth	875 mm		
Package height	745 mm		
Package weight	35 kg		
System requirements		Special features	
Mac compatibility	✓		
		Media weight (tray 1)	Auto loading:35 - 128 g/m <sup>2</sup>
Technical details			
Sustainability certificates		ENERGY STAR	
Logistics data			
Products per pallet	3 pc(s)		
Pallet gross length	120 cm		
Pallet gross width	80 cm		
Pallet gross height	180 cm		
Products per pallet layer	1 pc(s)		
Products per pallet layer (UK)	1 pc(s)		
Products per pallet (UK)	3 pc(s)		
Pallet length (UK)	120 cm		
Pallet width (UK)	100 cm		
Pallet height (UK)	180 cm		
Harmonized System (HS) code	84716070		



8715946499239

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.