



APC Back-UPS UPS-virtalähde Valmiustila (ilman yhteyttä) 0,35 kVA 210 W 4 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: BK350EI

Tuotteen nimi : Back-UPS

APC Back-UPS. UPS topologia: Valmiustila (ilman yhteyttä), Kokonaislähtöteho (VA): 0,35 kVA, Lähtöteho: 210 W. Pistorasian tyypit: C13 liitin, Virtapistoke: C14 liitin, Ulostulojen määrä: 4 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 7 ah, Akun kapasiteetti: 116 VAH. Kotelo: Tower, Tuotteen väri: Beige, Johdon pituus: 1,83 m. Tuotteen leveys: 91 mm, Tuotteen syvyys: 284 mm, Tuotteen korkeus: 165 mm



Features		Design	
UPS topology *	Standby (Offline)	Cable length	1.83 m
Output power capacity *	0.35 kVA	Product colour *	Beige
Output power *	210 W	LED indicators	Battery replacement
Input operation voltage (min) *	180 V	Certification	C-tick, CE, EN 50091-1, EN 50091-2, GOST, VDE, PEP, EOLI
Input operation voltage (max) *	266 V		
Input frequency *	50/60 Hz		
Output frequency regulation	47 - 63 Hz		
Maximum current	7 A		
Surge energy rating	310 J		
Hold time (min)	6 ms		
Hold time (max)	10 ms		
Efficiency	98.6%		
Surge protection	✓		
Surge protection features	Digital Subscriber Line (DSL), Fax, Modem, Telephone		
Power protection features	Overload		
Audible alarm(s)	✓		
Audible alarm modes	Low battery alarm, Overload alarm		
Ports & interfaces		Operational conditions	
AC outlet types	C13 coupler	Operating temperature (T-T)	0 - 40 °C
Power plug	C14 coupler	Storage temperature (T-T)	-15 - 45 °C
AC outlets quantity	4 AC outlet(s)	Operating relative humidity (H-H)	0 - 95%
Number of output IEC jumpers	2	Storage relative humidity (H-H)	0 - 95%
		Operating altitude	0 - 3000 m
		Non-operating altitude	0 - 15000 m
		Technical details	
		Sustainability certificates	ENERGY STAR, Green Premium
		Compliance certificates	RoHS
		Weight & dimensions	
		Width	91 mm
		Depth	284 mm
		Height	165 mm
		Weight	6.32 kg
		Package width	241 mm
		Package depth	368 mm
		Package height	178 mm

Ports & interfaces		Weight & dimensions	
USB port	✓	Package weight	7.05 kg
Battery		Packaging data	
Battery technology	Sealed Lead Acid (VRLA)	Cables included	Phone (RJ-11), USB cable
Battery capacity	7 Ah	Quick installation guide	✓
Battery capacity	116 VAh	Warranty card	✓
Battery voltage	12 V	Software CD	✓
Typical backup time at full load	8.6 min	Bundled software	PowerChute Personal Edition
Typical backup time at half load	22.1 min	Logistics data	
Battery life (max)	6 year(s)	Products per pallet	48 pc(s)
Battery recharge time	6 h	Harmonized System (HS) code	85078000
Automatic battery test	✓	Other features	
Design		Nominal output voltage	230 V
Form factor *	Tower	Nominal input voltage	230 V
		Filtering	✓



0731304016342



731304016342

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.