



APC Back-UPS Pro UPS-virtalähde Linjainteraktiivinen 0,9 kVA 540 W 5 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: BR900G-GR


Tuotteen nimi : Back-UPS Pro

APC Back-UPS Pro. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 0,9 kVA, Lähtöteho: 540 W. Pistorasian tyypit: Tyyppi F, Ulostulojen määrä: 5 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 157 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 4,6 min. Tuotteen väri: musta, Johdon pituus: 1,83 m, Näytön tyyppi: LCD. Tuotteen leveys: 100 mm, Tuotteen syvyys: 250 mm, Tuotteen korkeus: 382 mm



Features		Battery	
UPS topology *	Line-Interactive	Replacement battery cartridge	APCRBC123
Output power capacity *	0.9 kVA	Design	
Output power *	540 W	Cable length	1.83 m
Input operation voltage (min) *	156 V	Product colour *	Black
Input operation voltage (max) *	300 V	Display type	LCD
Input frequency *	50/60 Hz	Certification	REACH, PEP, EOLI
Output frequency regulation	50/60 Hz	Operational conditions	
Automatic Voltage Regulation (AVR)	✓	Operating temperature (T-T)	0 - 40 °C
Surge energy rating	613 J	Storage temperature (T-T)	-15 - 45 °C
Hold time (min)	8 ms	Operating relative humidity (H-H)	0 - 95%
Hold time (max)	10 ms	Storage relative humidity (H-H)	0 - 95%
Efficiency	97.4%	Operating altitude	0 - 3000 m
Noise level	45 dB	Non-operating altitude	0 - 15000 m
Surge protection	✓	Technical details	
Surge protection features	Digital Subscriber Line (DSL), Fax, Modem, Network	Sustainability certificates	Green Premium
Audible alarm(s)	✓	Compliance certificates	RoHS
Audible alarm modes	Low battery alarm, Overload alarm	Weight & dimensions	
Ports & interfaces		Width	100 mm
AC outlet types	Type F	Depth	250 mm
AC outlets quantity	5 AC outlet(s)	Height	382 mm
Number of type F outputs	5	Weight	10.7 kg
USB port	✓	Package width	225 mm

Battery		Weight & dimensions	
Battery technology	Sealed Lead Acid (VRLA)	Package depth	337 mm
Battery capacity	157 VAh	Package height	487 mm
Typical backup time at full load	4.6 min	Package weight	12.4 kg
Typical backup time at half load	16.3 min	Packaging data	
Battery life (max)	5 year(s)	Cables included	Phone (RJ-11)
Battery recharge time	8 h	Manual	✓
Automatic battery test	✓	Warranty card	✓
Cold start	✓	Bundled software	PowerChute Personal Edition
		Logistics data	
		Products per pallet	30 pc(s)
		Harmonized System (HS) code	85078000
		Other features	
		Nominal output voltage	230 V
		Nominal input voltage	230 V



0731304286912



731304286912

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.