



APC Back-UPS Pro UPS-virtalähde Linjainteraktiivinen 1,5 kVA 865 W 6 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: BR1500G-GR

Tuotteen nimi : Back-UPS Pro

APC Back-UPS Pro. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 1,5 kVA, Lähtöteho: 865 W. Pistorasian tyypit: Tyyppi F, Virtapistoke: Tyyppi F, Ulostulojen määrä: 6 AC-pistorasia(a). Akun kapasiteetti: 187 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 3,7 min, Tyypillinen varmuuskopioaika puolikkaalla kuormituksella: 12,3 min. Kotelo: Tower, Tuotteen väri: musta, Johdon pituus: 1,83 m. Tuotteen leveys: 112 mm, Tuotteen syvyys: 382 mm, Tuotteen korkeus: 301 mm



Features		Design	
UPS topology *	Line-Interactive	Product colour *	Black
Output power capacity *	1.5 kVA	Display type	LCD
Output power *	865 W	Certification	BSI 1363, CE, NEMKO, REACH, TUV-GS
Waveform *	Sine		
Input operation voltage (min) *	156 V		
Input operation voltage (max) *	300 V		
Input frequency *	50/60 Hz		
Output frequency regulation	50/60 Hz		
Surge energy rating	441 J		
Hold time (min)	10 ms		
Hold time (max)	12 ms		
Efficiency	98.9%		
Noise level	45 dB		
Surge protection	✓		
Surge protection features	Digital Subscriber Line (DSL), Fax, Modem, Network		
Audible alarm(s)	✓		
Ports & interfaces		Operational conditions	
AC outlet types	Type F	Operating temperature (T-T)	0 - 40 °C
Power plug	Type F	Storage temperature (T-T)	-15 - 45 °C
AC outlets quantity	6 AC outlet(s)	Operating relative humidity (H-H)	0 - 95%
Number of type F outputs	6	Storage relative humidity (H-H)	0 - 95%
USB port	✓	Operating altitude	0 - 3000 m
		Non-operating altitude	0 - 15000 m
		Technical details	
		Sustainability certificates	ENERGY STAR, Green Premium
		Compliance certificates	RoHS
		Weight & dimensions	
		Width	112 mm
		Depth	382 mm
		Height	301 mm
		Weight	13 kg
		Package width	235 mm
		Package depth	490 mm
		Package height	390 mm
		Package weight	13.8 kg

Battery		Packaging data	
Battery capacity	187 VAh	Cables included	Phone (RJ-11), USB cable
Typical backup time at full load	3.7 min	Manual	✓
Typical backup time at half load	12.3 min	Warranty card	✓
Battery life (max)	5 year(s)	Software CD	✓
Battery recharge time	8 h	Bundled software	PowerChute Personal Edition
Hot-swap battery	✓	Logistics data	
Automatic battery test	✓	Products per pallet	20 pc(s)
Cold start	✓	Harmonized System (HS) code	85078000
Design		Other features	
Form factor *	Tower	Battery type	APCRBC124
Cable length	1.83 m	Nominal output voltage	230 V
		Nominal input voltage	230 V
		Suitable for use in country/location	Europe



0731304286875



731304286875



4053162268586

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.