

Epson SureColor SC-T3200

Brand : Epson

Product code: C11CD66301A0

Product name : SureColor SC-T3200

- Fast processing: High-speed printing of Graphics, CAD and GIS applications
 - Large-capacity ink cartridges: A choice of 110, 350 and 700 ml sizes mean a low TCO
 - PrecisionCore TFP printhead: Permanent printhead for duration of printer lifetime
 - UltraChrome XD inks: Produce quality, vibrant, smudge- and water-resistant images
 - PostScript support with 2x1.6GHz CPUs: Print multiple formats, including data-rich files, quickly and directly
- SureColor SC-T3200



Printing		Performance	
Print technology *	Inkjet	Internal memory	1024 MB
Colour *	✓	Sound pressure level (printing)	50 dB
Maximum resolution *	2880 x 1440 DPI	Country of origin	China
Page description languages *	ESC/P-R, HP-GL/2, HP-RTL, PostScript 3	Power	
Printing colours *	Cyan, Magenta, Matte black, Photo black, Yellow	Power consumption (standby)	3 W
Input & output capacity		Power consumption (typical)	52 W
Maximum number of input trays	1	Power consumption (off)	0.5 W
Paper handling		System requirements	
Maximum print size *	A1 (594 x 841 mm)	Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows Vista, Windows Vista x64, Windows XP
ISO A-series sizes (A0...A9)	A1, A2, A3, A4	Mac operating systems supported	Mac OS X 10.5 Leopard
ISO B-series sizes (B0...B9)	B2, B3, B4	Linux operating systems supported	✓
Cut sheets *	✓	Weight & dimensions	
Media thickness	0.08 - 1.5 mm	Width	1050 mm
Print margin cut-sheet	14 mm	Depth	813 mm
Roll top margin	3 mm	Height	1117 mm
Media width (sheets)	3 mm	Weight	67 kg
Roll paper	✓	Packaging data	
Ports & interfaces		Package width	1245 mm
Wi-Fi *	✗	Package depth	1170 mm
Ethernet interface type	Gigabit Ethernet	Package height	810 mm
Ethernet LAN *	✓	Package weight	98 kg
USB port *	✓	Cartridge(s) included	✓
USB connector	USB Type-B	Drivers included	✓
USB 2.0 ports quantity	1	Manual	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Quick start guide	✓
Direct printing	✓		
RJ-45 ports quantity	1		

Performance		Other features	
Product colour *	Silver	Number of power supply units	1
Built-in display *	✓	Logistics data	
Display	LCD	Quantity per pack	1 pc(s)
Display diagonal	6.81 cm (2.68")	Harmonized System (HS) code	84433210



8715946542171

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date