

## Epson LQ-630 dot matrix printer 360 x 180 DPI 360 cps

**Brand :** Epson

**Product code:** C11C480141

**Product name :** LQ-630

Impact dot matrix, 24 pins, 80 columns, 24 Needles, 360x180 DPI, USB 2.0, Parallel, 20W, 3.5 kg  
 Epson LQ-630. Maximum print speed: 360 cps, Maximum resolution: 360 x 180 DPI, Maximum print speed (draft): 225 cps. Maximum print size: 254 x 559 mm, Paper tray media types: Labels, Roll. Product colour: Grey, Buffer size: 32 KB, Sound pressure level (printing): 57 dB. Standard interfaces: Parallel, USB 2.0. Print head: 24-pin, Print direction: Bidirectional, Print head life: 400 million characters



<b>Printing</b>		<b>Operational conditions</b>	
Maximum resolution *	360 x 180 DPI	Operating relative humidity (H-H)	10 - 80%
Maximum printing width (columns) *	80	<b>System requirements</b>	
Colour *	✗	Windows operating systems supported	Windows 2000, Windows 7, Windows 8, Windows 98, Windows XP
Maximum print speed *	360 cps	Bundled software	Epson Status Monitor
Maximum print speed (draft)	225 cps	<b>Weight &amp; dimensions</b>	
Maximum print speed (LQ)	79 cps	Width	386 mm
Character pitch	10,12 cpi	Depth	306 mm
Maximum number of copies	5 copies	Height	185 mm
Built-in barcodes	Code 39, POSTNET, UPC-A, UPC-E	Weight	3.5 kg
<b>Paper handling</b>		<b>Packaging data</b>	
Maximum print size	254 x 559 mm	Quantity per pack	1 pc(s)
Paper tray media types	Labels, Roll	Package width	265 mm
<b>Features</b>		Package depth	455 mm
Product colour *	Grey	Package height	310 mm
Buffer size *	32 KB	Package weight	5.2 g
Sound pressure level (printing) *	57 dB	<b>Other features</b>	
Page description languages *	Epson ESC/P2, PPDS	Standard media sizes	Sheet Paper (single- and multi-layer), Continuous Paper (single- and multi-layer), Labels (single- and multi-layer), Roll Paper
Country of origin	China	Print technology	Dot matrix
<b>Ports &amp; interfaces</b>		Needles	24
Standard interfaces *	Parallel, USB 2.0	<b>Logistics data</b>	
<b>Endurance</b>		Products per pallet	35 pc(s)
Print head *	24-pin	Pallet gross width	120 cm
Print direction	Bidirectional	Pallet gross height	100 cm
Print head life	400 million characters	Products per pallet layer	5 pc(s)
Ribbon life (black, draft)	2 million characters	Products per pallet layer (UK)	7 pc(s)
Mean time between failures (MTBF)	10000 h	Products per pallet (UK)	49 pc(s)
<b>Power</b>		Pallet length (UK)	120 cm
Power consumption (typical)	20 W	Pallet width (UK)	100 cm
Power consumption (standby)	4.8 W	Pallet height (UK)	2 m
AC input voltage	220 - 240 V	Harmonized System (HS) code	84433210
<b>Operational conditions</b>			
Operating temperature (T-T)	5 - 35 °C		



8715946538068



5052916480136

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.