ATEN

ATEN CS64US-AT KVM-kytkin Sininen

Tuotemerkki: ATEN Tuotekoodi: CS64US-AT

Tuotteen nimi: CS64US-AT



4 väylä KVM kytkin

ATEN CS64US-AT KVM-kytkin Sininen:

4-Port USB KVM Switch has a handy design integrating with 6 feet of cables and built-in USB. It can control 4 servers via a single console. • One USB console controls 4 computers

- Compact design, built in 1.8 m cables
- Hotkey selection for OS and keyboard language
- Multiplatform support:compatible with all operation platforms PC

(Windows,Linux and most others),Mac and Sun

- Multi-use USB connector-can connect any USB device, including mouse
- Supports multimedia USB keyboards and multi-function mice
- All-in-one design
- With speaker support
- Superior video quality up to 2078 x 1536;DDC2B
- Auto Scan function to monitor computer operation
- Non-powered
- USB mouse port can be used for USB mouse or USB Hub
- Multiplatform support:Windows 2000/XP/Vista, LINUX and FreeBSD

| Ports & interfaces | | Operational conditions | |
|--|---|---|--------------------------------------|
| Number of computers controlled * 4 Keyboard port type * USB Mouse port type * USB | USB | Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) | -20 - 60 °C 0 - 80% 0 - 80% |
| Video port type * | ntity 4 3.5mm headphone, USB A, VGA (D-Sub) 2 | Weight & dimensions | |
| VGA (D-Sub) ports quantity Console ports * Console USB ports quantity USB 2.0 Type-A hub ports quantity | | Width Depth Height Weight | 94.1 mm 97.2 mm 26 mm 580 q |
| Audio connections | √ | Packaging data | _ |
| Performance HD type * Maximum resolution * Scan interval | QXGA 2048 x 1536 pixels 1,5,99 s | Package width Package depth Package height Package weight | 95 mm 265 mm 220 mm 765 g |
| DDC2B support | 1,5,59 S ✓ | Packaging content | |
| Design | | Quick installation guide | ✓ |
| Product colour * Housing material | Blue Plastic | Manual Logistics data | ✓ |
| LED indicators | ✓ | Master (outer) case net weight | 2.9 kg |
| Hot keys | ✓ | Harmonized System (HS) code | 85176200 |
| Display | | Master (outer) case width Master (outer) case length | 232 mm 500 mm |
| Built-in display * | × | Master (outer) case height | 283 mm |
| Power | | Master (outer) case gross weight | 4.24 kg |
| Power source Input voltage Power consumption (typical) | DC 5 V 0.9 W | Products per master (outer) case | 5 pc(s) |
| Operational conditions | | | |
| Operating temperature (T-T) | 0 - 50 °C | | |





































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.