

D-Link DAP-1360 300 Mbit/s

Tuotemerkki : D-Link

Tuotekoodi: DAP-1360/E

Tuotteen nimi : DAP-1360

DAP-1360 - 2.4-2.4835 GHz, 802.11 b/g/n, 1x 10/100BASE-TX, WPA-PSK/WPA2-PSK/WEP, QOS, 229g
 D-Link DAP-1360. 2,4 GHz, Tiedonsiirron enimmäisnopeus: 300 Mbit/s. Tietoturva-algoritmit: 128-bit WEP, 64-bit WEP, SSID, TKIP, WPA-EAP, WPA-PSK, WPA2-EAP, WPA2-PSK, WPS. Ethernet LAN - datanopeudet: 10,100 Mbit/s



Features		Technical details	
2.4 GHz *	✓	Master (outer) cases per pallet (air)	30 pc(s)
Maximum data transfer rate *	300 Mbit/s	Products per pallet (air)	300 pc(s)
Ethernet LAN data rates	10,100 Mbit/s	Pallet gross length	120 cm
Frequency band	2.4 - 2.4835 GHz	Pallet gross width	110 cm
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Pallet height (air)	133.5 cm
Cabling technology	10/100Base-T(X)	Pallet gross weight (sea)	343.6 kg
Channels quantity	13 channels	Master (outer) cases per pallet (sea)	48 pc(s)
Modulation	CCK, DBPSK, DQPSK, OFDM	Products per pallet (sea)	480 pc(s)
Quality of Service (QoS) support	✓	Pallet height (sea)	2.06 m
		Shipping (inner) case gross weight	6.7 kg
Security		Certificates	
Security algorithms *	128-bit WEP, 64-bit WEP, SSID, TKIP, WPA-EAP, WPA-PSK, WPA2-EAP, WPA2-PSK, WPS	Certification	FCC B
MAC address filtering	✓	Weight & dimensions	
Management features		Dimensions (WxDxH)	144 x 109 x 30 mm
Web-based management	✓	Weight	229 g
Ports & interfaces		Packaging data	
Interface	RJ-45	Package width	208 mm
Ethernet LAN (RJ-45) ports *	1	Package depth	274 mm
DC-in jack	✓	Package height	68 mm
Power		Package weight	600 g
Power requirements	5VDC, 2.5A	Packaging content	
Design		AC adapter included	✓
LED indicators	LAN, Power, Status, WLAN	Other features	
Internal	✗	Wireless technology	802.11b/g/n
Antenna		Networking features	Fast Ethernet
Antenna features	Detachable antenna	Frequency range	2400 - 2483.5 MHz
Antennas quantity	2	Operational conditions	
Antenna gain level (max)	2 dBi	Operating relative humidity (H-H)	10 - 90%
		Operating temperature (T-T)	0 - 55 °C
		Storage temperature (T-T)	-10 - 70 °C

Antenna		Operational conditions	
Antenna connector type	RP-SMA	Storage relative humidity (H-H)	5 - 95%
Technical details		Logistics data	
Shipping (inner) case length	57.1 cm	Harmonized System (HS) code	85176990
Shipping (inner) case width	36 cm		
Shipping (inner) case height	24 cm		
Shipping (inner) case net weight	6 kg		
Products per shipping (inner) case	10 pc(s)		
Pallet gross weight (air)	223 kg		



7900693230582



0790069323058



790069323058

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.