

Jabra 1553-0159 kuulokkeet ja kuulokemikrofoni Langallinen Pääpanta Toimisto/puhelukeskus Bluetooth musta

Tuotemerkki : Jabra

Tuotekoodi: 1553-0159

Tuotteen nimi : 1553-0159

- Langallinen kuulokemikrofoni
- Erinomainen pitkiin puheluihin työpöydän äärestä
- USB- ja QD-yhdistettävyyys
- Yhdistä yhteen laitteeseen
- Tehty kestämään
- Kahden vuoden rajoitettu takuu
- Passiivinen melunpoisto
- Vaahtomuovikorvapehmusteet
- Korvien päällä käytettävä kuulokemikrofoni
- Plug-and-Play

Jabra Biz 1500 Duo / Mono

Jabra 1553-0159. Tuotetyyppi: Kuulokkeet. Yhteysteknologia: Langallinen, Bluetooth. Suositeltu käyttö: Toimisto/puhelukeskus. Kuulokkeiden taajuus: 20 - 6800 Hz. Johdon pituus: 2,3 m. Paino: 48 g. Tuotteen väri: musta




Performance		System requirements	
Product type *	Headset	Windows operating systems supported	✓
Wearing style *	Head-band	Mac operating systems supported	✓
Recommended usage *	Office/Call center	Weight & dimensions	
Headset type	Monaural	Width	131 mm
Product colour *	Black	Depth	57 mm
Operating keys	Volume +, Volume -	Height	165 mm
Volume control	Button	Weight	48 g
Control unit type	In-line control unit	Packaging data	
Cable length	2.3 m	Package width	230 mm
Hearing protection technologies	Jabra PeakStop	Package depth	180 mm
Country of origin	China	Package height	20 mm
Certification	CE, FCC, UL, cUL, EAC, RCM, KCC, RoHS, REACH	Package weight	120 g
Ports & interfaces		Packaging content	
Connectivity technology *	Wired	Quick start guide	✓
USB connectivity	✓	Quantity	1
Bluetooth	✓	Logistics data	
Headphones		Harmonized System (HS) code	85183000
Maximum input power	30 mW	Master (outer) case width	399 mm
Ear coupling *	Supraaural	Master (outer) case length	600 mm
Headphone frequency	20 - 6800 Hz	Master (outer) case height	316 mm
Impedance	32 Ω	Master (outer) case gross weight	7.8 kg
Headphone sensitivity	102 dB	Products per master (outer) case	64 pc(s)
Total Harmonic Distortion (THD)	15%	Certificates	
Microphone		Compliance certificates	REACH, RoHS
Microphone type *	Boom		
Microphone frequency	1000 - 5000 Hz		
Microphone input impedance	3900 Ω		

Microphone		Other features	
Microphone direction type	Unidirectional	Sound pressure level (nominal)	118 dB
Folding microphone	✓	Weight (with microphone and cable)	119.5 g
Microphone noise-canceling	✓	Digital Signal Processing (DSP)	✓
Microphone mute	✓		



5706991019018




0706487013174



706487013174



5057103060375



5706991010107

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.