ATEN CS1914-AT-G KVM-kytkin musta, Harmaa

Tuotemerkki : ATEN

Tuotekoodi: CS1914-AT-G

Tuotteen nimi : CS1914-AT-G

ATEN CS1914-AT-G. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DisplayPort. Enimmäiserottelutarkkuus: 3840 x 2160 pikseliä, Skannausväli: 1,99 s. Tuotteen väri: musta, Harmaa, Kotelon materiaali: Metalli, Muovi, LED-merkkivalot: Tila, USB. Ulostulojännite: 5 V, Virrankulutus: 2,99 W. Vaatimustenmukaisuustodistukset: RoHS






Ports & interfaces

Ports & interfaces		System requirements	
Number of computers controlled *	4	Mac operating systems supported	✓
Keyboard port type *	USB	Sustainability	
Mouse port type *	USB DisplayBert	Compliance certificates	RoHS
Video port type * DisplayPorts quantity	DisplayPort 5	Operational conditions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity Console ports *	4 USB A	Operating temperature (T-T) Storage temperature (T-T)	0 - 50 °C -20 - 60 °C
Console USB ports quantity	2	Operating relative humidity (H-H)	0 - 80%
USB hub	1	Weight & dimensions	
USB connector type	USB Type-A, USB Type-B	Width	88 mm
Audio connections	 Image: A set of the set of the	Depth	270 mm
Headphone outputs	6	Height	55.5 mm
DC-in jack	✓	Weight	1.97 kg
Performance		Packaging data	
Maximum resolution * Automatic switching Scan interval	3840 x 2160 pixels ✓ 1,99 s	Package width Package depth Package height Package weight	98 mm 325 mm 210 mm 2.46 kg
HDCP	1	Packaging content	5
Hot-Plug support	✓	Cables included	Audio (3.5mm), DisplayPort, USB
Design		Manual	
Rack mounting *	×	AC adapter included	1
Product colour *	Black, Grey	Logistics data	
Housing material LED indicators Push button Hot keys	Metal, Plastic Status, USB ✓	Master (outer) case net weight Harmonized System (HS) code Master (outer) case width Master (outer) case length	9.85 kg 85176200 342 mm 512 mm
Display		Master (outer) case height	232 mm
Built-in display *	×	Master (outer) case gross weight	12.8 kg
Power		Products per master (outer) case	5 pc(s)
Output voltage	5 V		
Power consumption (typical)	2.99 W		

Power	
External power adapter	1



4719264645044

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.