
D-Link

D-Link DUB-H7 USB 2.0 Type-B 480 Mbit/s musta

Tuotemerkki : D-Link Tuotekoodi: DUB-H7/E

Tuotteen nimi: DUB-H7








Most interface USB 2.0 Type-B Package weight 477.5 g				
Hub interfaces* USB 2.0 ports quantity* 7 Ports quantity* 7 Card reader integrated X Reatures Data transfer rate * 480 Mbit/s Diata transfer rate * 481 Master (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer) cases per pallet (air) 360 pc(s) Diata transfer (outer	Ports & interfaces		Packaging data	
USB 2.0 ports quantity 7 Ports quantity 7 Ports quantity 7 Card reader integrated 7 Peatures 7 Storage relative humidity (H-H) 10 - 90% Ports greative humidity (H-H) 10 - 90% Post Greative humidity (H-H) 10 - 90%	Host interface *	USB 2.0 Type-B	Package weight	477.5 g
Ports quantity 7 Card reader integrated X Card reader integrated N Card reader integrated X Card reader integrated N Card reader (outer) case serp pallet (ain) Card part (sea) Card reader (sea)			Operational conditions	
Data transfer rate * 480 Mbit/s Product colour Black Product colour Black Product colour Black Plack Pollet gross weight (air) Power Power Input voltage Input current System requirements Windows 7 Home Basic, x64, Windows 7 Professional, Windows 7 Starter, Windows 7 Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Ultimate, Windows XP Home Basic x64, Windows XP Professional x64 Mac operating systems supported 480 Mbit/s 480 Mist/s 480 Mist/s 480 Master (outer) cases per pallet (air) Pallet height (air) Power Pallet (air) Pallet height (air) Pallet (sea) Pal	Ports quantity * Card reader integrated	7	Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 70 °C 10 - 90%
Product colour LED indicators LED indicators Plug and Play Power Power Input voltage Input current Pomer Windows 7 Home Basic, X4, Windows 7 Home Premium, Yengmium 24, Windows 7 Starter, Windows 7 Wista Home Basic, Windows 7 Windows Vista Home Basic, Windows 7 Windows Vista Home Basic, Windows XP Home, Windows Vista Home Basic, X64, Windows XP Home, Windows XP Home Basic, Windows XP Home, Windows XP Home Basic, Windows XP Home Basic, Windows XP Home Basic, Windows XP Professional X64 Mac operating systems supported Mascer (outer) cases per pallet (sea) Pallet gross width 110 cm Pallet pross width 110 cm Pallet pross width 110 cm Pallet gross width 110 cm Pallet pross width 110 cm Pallet pross width 110 cm Pallet gross width 110 cm Pallet gross width 110 cm Pallet pross width 110 cm	Features		Storage relative humidity (H-H)	5 - 95%
Input voltage Input current 5 V Products per pallet (sea) Pallet height (sea) Pallet gross width Premium Windows 7 Home Premium Windows 7 Home Professional Windows 7 Starter x64, Windows 7 Starter x64, Windows 7 V Ultimate x64, Windows 7 V Windows 7 V Ultimate x64, Windows 7 V Windows 7 V Windows 7 V Ultimate x64, Windows 7 V Ultimate x64, Windows 7 V V Windows 7 V V Windows 7 V V V Windows 7 V V V Windows 7 V V V V V V V V V V V V V V V V V V	Product colour LED indicators Plug and Play	Black ✓	Pallet gross weight (air) Master (outer) cases per pallet (air) Products per pallet (air)	36 pc(s) 360 pc(s)
Input voltage Input current 3 A Products per pallet (sea) 193 cm Pallet pross width 110 cm Pallet gross width 110 cm Pallet gross width 110 cm Pallet gross length 120 cm Premium, Windows 7 Home Premium, Windows Vista Business, Windows Vista Enterprise, Windows Vista Enterprise, Windows Vista Enterprise, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Home Premium x64, W	Power		Pallet gross weight (sea)	347.5 kg
Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Starter, Windows 7 Starter, Windows 7 Ultimate, Windows 7 Ultimate, Windows 7 Ultimate, Windows 7 Ultimate, Windows Vista Business, Windows Vista Enterprise, Windows Vista Enterprise, Windows Vista Home Basic, Windows Vista Home Basic, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate, Windows XP Home, Windows XP Home, Windows XP Home X64, Windows XP Professional, Windows XP Professional x64 Mac operating systems supported Windows Systems supported Windows Vista Windows XP Home X64, Windows XP Professional x64 Mac operating systems supported Windows Vista Windows XP Home X64, Windows XP Professional x64 Mac operating systems supported Windows Vista Windows XP Home X64, Windows XP Professional x64 Mac operating systems supported Windows Vista Windows XP Home X64, Windows XP Professional x64 Mac operating systems supported Windows Vista Windows XP Home X64, Windows XP Professional x64 Mac operating systems supported Windows Vista Windows XP Home X64, Windows XP Professional x64 Mac operating systems supported Windows Vista Windows XP Home X Windows XP Professional x64 Mac operating systems supported	Input current		Products per pallet (sea) 630 pc(s)	
Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter x64, Windows 7 Ultimate, Windows Vista Business, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows XP Home, Windows XP Professional, Windows XP Professional x64 Mac operating systems supported Home Basic x64, Windows 7 Home Premium, Windows Vista Ultimate, Windows Vista Home X64, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 Mac operating systems supported Mac OS 9.0, Mac OS 9.1, Mac OS 9.2	System requirements		Pallet gross width	110 cm
Mac operating systems supported Mac OS 9.0, Mac OS 9.1, Mac OS 9.2	. 3,	Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows	Shipping (inner) case width Shipping (inner) case length Harmonized System (HS) code Shipping (inner) case height Shipping (inner) case gross weight Products per shipping (inner) case	31.4 cm 36 cm 84719000 25.3 cm 5.18 kg 10 pc(s)
Linux operating systems supported ✓	Mac operating systems supported			
	Linux operating systems supported	✓		

Weight & dimensions	
Width	57 mm
Depth	100 mm
Height	23 mm
Weight	85 g
Packaging data	
Package width	150 mm
Package depth	225 mm
Package height	68 mm





















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS and without purameter of confectness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party Qe1sE416021i6840 Thormation or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.