

## D-Link GO-SW-16G Hallitsematon L2 Gigabit Ethernet (10/100/1000) 1U musta

**Tuotemerkki :** D-Link

**Tuotekoodi:** GO-SW-16G/E

**Tuotteen nimi :** GO-SW-16G

D-Link GO-SW-16G. Kytкин tyyppi: Hallitsematon, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 16. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 32 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. DC-syöttöjännite: 12 V. Virtaliitin: DC-tulo jakkiliitin. Telineasennus, Kotelo: 1U



Management features		Power	
Switch type *	Unmanaged	Input current	1 A
Switch layer	L2	Power consumption (max)	11.7 W
Quality of Service (QoS) support	✓	Power over Ethernet (PoE)	
Ports & interfaces		Power over Ethernet (PoE) *	✗
Basic switching RJ-45 Ethernet ports quantity *	16	Operational conditions	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Operating temperature (T-T)	0 - 40 °C
Gigabit Ethernet (copper) ports quantity	16	Storage temperature (T-T)	-40 - 70 °C
Power connector	DC-in jack	Operating relative humidity (H-H)	10 - 90%
Network		Storage relative humidity (H-H)	5 - 95%
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Heat dissipation	39.92 BTU/h
10G support *	✗	Weight & dimensions	
Copper ethernet cabling technology	1000BASE-T, 100BASE-TX, 10BASE-T	Width	280 mm
Full duplex	✓	Depth	126 mm
Half duplex	✓	Height	44 mm
Flow control support	✓	Weight	870 g
Auto MDI/MDI-X	✓	Packaging data	
Ethernet LAN data rates	10,100,1000 Mbit/s	Package width	180 mm
Auto-negotiation	✓	Package depth	328 mm
Data transmission		Package height	108 mm
Switching capacity *	32 Gbit/s	Package weight	1.45 kg
Forwarding rate	23.81 Mpps	Technical details	
MAC address table *	8000 entries	Shipping (inner) case height	38.4 cm
Store-and-forward	✓	Shipping (inner) case width	34 cm
Number of queues	8	Shipping (inner) case length	56.9 cm
Jumbo frames support	✓	Shipping (inner) case net weight	15 kg
Jumbo frames	9216	Products per shipping (inner) case	10 pc(s)
Packet buffer memory	0.512 MB	Pallet gross weight (air)	491.5 kg
Design		Master (outer) cases per pallet (air)	30 pc(s)
Rack mounting *	✓	Products per pallet (air)	300 pc(s)
Form factor	1U	Pallet gross length	110 cm
Product colour	Black	Pallet gross width	120 cm
Housing material	Metal	Pallet height (air)	2.06 m
		Pallet gross weight (sea)	491.5 kg
		Master (outer) cases per pallet (sea)	30 pc(s)
		Products per pallet (sea)	300 pc(s)
		Pallet height (sea)	2.06 m
		Shipping (inner) case gross weight	15.6 kg

Design		Certificates	
LED indicators	✓	Certification	CE Class A, FCC Class A, VCCI Class A, BSMI, CCC UL, CB, LVD, BSMI, CCC
Number of fans	0 fan(s)		
Performance		Logistics data	
Mean time between failures (MTBF)	305171 h	Harmonized System (HS) code	85176990
Power			
Power supply included *	✓		
Redundant power supply (RPS) support	✗		
Number of power supply units	1		
DC input voltage	12 V		



0790069396618



790069396618



7900693966184

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.