TP-Link M7450 Matkapuhelinverkon reititin

Tuotemerkki : TP-Link

Tuotekoodi: M7450 V1

Tuotteen nimi : M7450

TP-Link M7450. Laitteen tyyppi: Matkapuhelinverkon reititin, Tuotteen väri: musta, Harmaa, Asema markkinoilla: Kannettava. Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Tuetut WLAN-tiedonsiirtonopeudet: 300 Mbit/s. Dataverkko: Edge, GPRS, GSM, HSPA, LTE, UMTS, 2G standardit: Edge, GPRS, 3G-standardit: DC-HSDPA, HSPA, HSPA+, UMTS. Yhteensopivat muistikortit: MicroSD (TransFlash), Suurin muistikortin koko: 32 GB. Tietoturva-algoritmit: WPA-PSK, WPA2-PSK





Design		Ports & interfaces	
Device type *	Cellular network router	Maximum memory card size	32 GB
Product colour *	Black, Grey	Security	
Market positioning	Portable	Security algorithms	WPA-PSK, WPA2-PSK
Built-in display	·	Certificates	
Display type	TFT	Certification	CE. RoHS
Display diagonal Reset button	3.66 cm (1.44")		
		Packaging content	
LED indicators	1	Cables included	Micro-USB
Ethernet LAN features		Performance	
Ethernet LAN *	×	Antenna type	Internal
DHCP client	1	Windows operating systems	Windows 10, Windows 7, Windows
DHCP server	1	supported	8, Windows 8.1, Windows Vista, Windows XP
Wireless LAN features		Mac operating systems supported	✓
Wi-Fi *	1	Power	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4	Power source type *	Battery
WLAN data transfer rates supported	(802.11n), Wi-Fi 5 (802.11ac)	Battery capacity	3000 mAh
		Operational conditions	
Mobile network		Operating temperature (T-T)	0 - 35 °C
Data network * 2G standards	Edge, GPRS, GSM, HSPA, LTE, UMTS	Storage temperature (T-T)	-20 - 60 °C
2G standards 3G standards	Edge, GPRS DC-HSDPA, HSPA, HSPA+, UMTS	Operating relative humidity (H-H)	10 - 90%
4G standard	LTE-TDD & LTE-FDD	Storage relative humidity (H-H)	5 - 90%
2G bands supported	850,900,1800,1900 MHz	Weight & dimensions	
3G bands supported	900,2100 MHz	Width	112 mm
4G bands supported	800,900,1800,2100,2600 MHz	Depth	65 mm
GSM bands supported	850,900,1800,1900 MHz	Height	16 mm
UMTS bands supported	900,2100 MHz		

Mobile network		Packaging data	
Number of simultaneous SIM cards	1	Package width	149 mm
Ports & interfaces		Package depth	101 mm
USB port	1	Package height Package weight	60 mm 250 g
Card reader integrated Compatible memory cards	✔ MicroSD (TransFlash)	Logistics data	230 g
computible memory curus		Harmonized System (HS) code	85176990





6935364081829

6935364081836

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.