



TP-Link TD-W9970 langaton reititin Nopea Ethernet Yksi kaista (2,4 GHz) Valkoinen

Tuotemerkki : TP-Link

Tuotekoodi: TD-W9970 V2

Tuotteen nimi : TD-W9970

TP-Link TD-W9970. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Yksi kaista (2,4 GHz), Wi-Fi-standardi: Wi-Fi 4 (802.11n), WLAN-tiedonsiirtonopeus (maks.): 300 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Nopea Ethernet, Ethernet LAN -datanopeudet: 10,100 Mbit/s, Kaapelitekniikka: 10/100Base-T(X). Tietoturva-algoritmit: 128-bit AES, 128-bit WEP, 192-bit AES, 256-bit AES, 3DES, 64-bit WEP, DES, MD5, SHA-1, WPA,.... Tuotetyyppi: Pöytäreititin, Tuotteen väri: Valkoinen



WAN connection		Security	
Ethernet WAN *	✓	Network address translation (NAT)	✓
DSL WAN *	✓	Protocols	
SIM card slot *	✗	DHCP client	✓
3G/4G USB modem compatibility *	✓	Universal Plug and Play (UPnP)	✓
WAN connection type	RJ-45	Design	
Wireless LAN features		Product colour	White
Wi-Fi band *	Single-band (2.4 GHz)	Wall mountable	✓
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)	LED indicators	✓
WLAN data transfer rate (max) *	300 Mbit/s	On/off switch	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Product type *	Tabletop router
Network		Certificates	
Ethernet LAN *	✓	Certification	CE, FCC, RoHS
Ethernet LAN interface type *	Fast Ethernet	Packaging content	
Ethernet LAN data rates	10,100 Mbit/s	Cables included	LAN (RJ-45), Phone (RJ-11)
Cabling technology	10/100Base-T(X)	AC adapter included	✓
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Quick start guide	✓
Port forwarding	✓	Antenna	
Dynamic DNS (DDNS)	✓	Antenna design *	External
Number of guest networks (2.4 GHz)	1	Antenna gain level (max)	5 dBi
USB sharing	✓	Antennas quantity	2
Wireless Distribution System (WDS) bridge	✓	Features	
Built-in FTP server	✓	Firmware upgradeable	✓
Media server	✓	Power	
VPN tunnels quantity	10	Power source type *	DC

Network		Power	
VPN Passthrough	✓	Output voltage	12 V
VPN support	PPTP, L2TP, IPSec Pass-through	Output current	1 A
DSL features		Operational conditions	
ADSL	✓	Operating temperature (T-T)	0 - 40 °C
ADSL2	✓	Storage temperature (T-T)	-40 - 70 °C
ADSL2+	✓	Operating relative humidity (H-H)	10 - 90%
VDSL2	✓	Storage relative humidity (H-H)	5 - 90%
Ports & interfaces		System requirements	
Ethernet LAN (RJ-45) ports *	4	Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows XP
USB port *	✓	Linux operating systems supported	✓
USB 2.0 ports quantity	1	Mac operating systems supported	macOS
RJ-11 ports quantity	1		
Management features		Weight & dimensions	
Web-based management	✓	Width	195 mm
Wi-Fi Multimedia (WMM)/(WME)	✓	Depth	130 mm
Quality of Service (QoS) support	✓	Height	36 mm
Reset button	✓		
WPS push button	✓	Packaging data	
		Package width	260 mm
		Package depth	232 mm
		Package height	70 mm
		Package weight	550 g
Security		Logistics data	
Security algorithms	128-bit AES, 128-bit WEP, 192-bit AES, 256-bit AES, 3DES, 64-bit WEP, DES, MD5, SHA-1, WPA, WPA-PSK, WPA2, WPA2-PSK	Harmonized System (HS) code	85176990
Firewall	✓	Other features	
Guest access	✓	WLAN data transfer rates supported	300 Mbit/s
Stateful Packet Inspection (SPI)	✓	Frequency range	2.4 - 2.4835 GHz
Parental control	✓	USB ports quantity	1
Filtering	✓	USB version	2.0
MAC address filtering	✓	xDSL connection	✓
IP address filtering	✓		
URL filtering	✓		
DMZ support	✗		



6935364092535



6935364093440



6935364092542



5055309620317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.