

ZYXEL

## Zyxel GS1200-5HP v2 Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

**Brand :** Zyxel

**Product code:** GS1200-5HPV2-EU0101F

**Product name :** GS1200-5HP v2



GS1200-5HP v2 - 5-Port Web Managed PoE Gigabit Switch

Zyxel GS1200-5HP v2. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x,.... Power over Ethernet (PoE)



Management features		Design	
Switch type *	Managed	Reset button	✓
Quality of Service (QoS) support	✓	LED indicators	Link, PoE, Power
Web-based management	✓	On/off switch	✓
Ports & interfaces		Safety	LVD EN60950-1
Basic switching RJ-45 Ethernet ports quantity *	5	Performance	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Firmware upgradeable	✓
Network		Power	
Networking standards *	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Output current	1.3 A
10G support *	✗	Power consumption (max)	72 W
Port mirroring	✓	Power over Ethernet (PoE)	
Full duplex	✓	Power over Ethernet (PoE) *	✓
Flow control support	✓	Power over Ethernet (PoE) ports quantity	5
Link aggregation	✓	Power over Ethernet plus (PoE+) ports quantity	4
Broadcast storm control	✓	Total Power over Ethernet (PoE) budget	60 W
Auto MDI/MDI-X	✓	Operational conditions	
VLAN support	✓	Operating temperature (T-T)	0 - 40 °C
Virtual LAN features	Port-based VLAN	Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)		Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)		Storage relative humidity (H-H)	10 - 90%
Data transmission		Weight & dimensions	
Switching capacity *	10 Gbit/s	Width	193 mm
MAC address table *	2000 entries	Depth	84 mm
Store-and-forward	✓	Height	26 mm
Jumbo frames support	✓	Weight	392 g

<b>Data transmission</b>		<b>Packaging data</b>	
Jumbo frames	9000	Package type	Box
Packet buffer memory	0.1 MB	Package width	210 mm
<b>Security</b>		Package depth	132 mm
DHCP features	DHCP client	Package height	78 mm
IGMP snooping	✓	Package weight	950 g
<b>Multicast features</b>		<b>Certificates</b>	
Multicast support	✓	Certification	CE, FCC, C-Tick, Class A
Number of multicast groups filtered	20	<b>Logistics data</b>	
<b>Design</b>		Harmonized System (HS) code	85176990
Rack mounting *	✗		
Stackable *	✗		
Product colour	Grey		



4718937598717

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date