



TP-Link RE450 Verkkotoistin Valkoinen 10, 100, 1000 Mbit/s

Tuotemerkki : TP-Link

Tuotekoodi: RE450 V2

Tuotteen nimi : RE450

TP-Link RE450. Malli: Verkkotoistin, Tiedonsiirtonopeus: 1300 Mbit/s, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Antennityyppi: Ulkoinen. Kaapelitekniikka: 10/100/1000Base-T(X), Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Tuotteen väri: Valkoinen, Sertifiointi: CE, FCC. AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 50 - 60 Hz, Tehonkulutus (maks.): 9 W



Performance		Design	
Type *	Network repeater	Reset button	✓
Data transfer rate	1300 Mbit/s	Certification	CE, FCC
Ethernet LAN data rates	10,100,1000 Mbit/s	Power	
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows XP	AC input voltage	100 - 240 V
Mac compatibility	✓	AC input frequency	50 - 60 Hz
Mac operating systems supported	✓	Power consumption (max)	9 W
Linux operating systems supported	✓	Operational conditions	
Antenna		Operating temperature (T-T)	0 - 40 °C
Antennas quantity	3	Storage temperature (T-T)	-40 - 70 °C
Antenna type	External	Operating relative humidity (H-H)	10 - 90%
Network		Storage relative humidity (H-H)	5 - 90%
Cabling technology	10/100/1000Base-T(X)	Weight & dimensions	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Width	163 mm
Wi-Fi	✓	Depth	76.4 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Height	66.5 mm
Wi-Fi data rate (max)	1300 Mbit/s	Weight	230 g
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)	Packaging content	
		Cables included	LAN (RJ-45)
		Quick start guide	✓
		Packaging data	
		Package width	202 mm


Network		Packaging data	
Security algorithms	128-bit WEP, 64-bit WEP, WPA-PSK, WPA2-PSK	Package depth	125 mm
Ports & interfaces		Package height	86 mm
		Package weight	350 g
Ethernet LAN (RJ-45) ports	1	Certificates	
Design		Compliance certificates	RoHS
Product colour	White		
LED indicators	✓		
On/off switch	✓		



6935364092382



0845973092405



845973092405



6935364095994

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date