

D-Link DIS-100G-5W Hallitsematon L2 Gigabit Ethernet (10/100/1000) musta

Tuotemerkki : D-Link

Tuotekoodi: DIS-100G-5W

Tuotteen nimi : DIS-100G-5W



D-Link DIS-100G-5W. Kytin tyyppi: Hallitsematon, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 5. Täysin kaksipuolinen. MAC-osoitetaulukko: 2000 entries, Kytkentäkapasiteetti: 10 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3z. DC-syöttöjännite: 12 - 58 V. Seinäkiinnitteinen

Management features		Operational conditions	
Switch type *	Unmanaged	Operating relative humidity (H-H)	5 - 95%
Switch layer	L2	Storage relative humidity (H-H)	0 - 95%
Traffic shaping	✓	Heat dissipation	12.18 BTU/h
Ports & interfaces		Weight & dimensions	
Basic switching RJ-45 Ethernet ports quantity *	5	Width	112.2 mm
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Depth	29.1 mm
		Height	89.4 mm
		Weight	300 g
Network		Packaging data	
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3z	Package width	140 mm
10G support *	✗	Package depth	178 mm
Full duplex	✓	Package height	83 mm
Flow control support	✓	Package weight	500 g
Broadcast storm control	✓		
Auto MDI/MDI-X	✓	Technical details	
Auto-negotiation	✓	Shipping (inner) case height	20.5 cm
		Shipping (inner) case width	30.5 cm
		Shipping (inner) case length	44 cm
		Shipping (inner) case net weight	5 kg
		Products per shipping (inner) case	10 pc(s)
		Pallet gross weight (air)	220 kg
		Master (outer) cases per pallet (air)	36 pc(s)
		Products per pallet (air)	360 pc(s)
		Pallet gross length	120 cm
		Pallet gross width	110 cm
		Pallet height (air)	136.5 cm
		Pallet gross weight (sea)	321.6 kg
		Master (outer) cases per pallet (sea)	54 pc(s)
		Products per pallet (sea)	540 pc(s)
		Pallet height (sea)	198 cm
		Shipping (inner) case gross weight	5.64 kg
Data transmission		Certificates	
Switching capacity *	10 Gbit/s	Certification	IEC60068-2-6; IEC60068-2-27; IEC60068-2-32; UL 60950-1, CE, FCC, RoHS, WEEE
Forwarding rate	7.44 Mpps		
MAC address table *	2000 entries		
Store-and-forward	✓		
Jumbo frames support	✓		
Jumbo frames	9000		
Multicast features		Logistics data	
Multicast support	✓	Harmonized System (HS) code	85176990
Design			
Rack mounting *	✗		
Product colour	Black		
LED indicators	LAN, Power		
Wall mountable	✓		
DIN rail mounting	✓		
Electromagnetic compatibility	FCC 15, EN 61000-6-2, EN 61000-6-4, EN 61000-4-2, -3, -4, -5, -6 (3)		
Power			
DC input voltage	12 - 58 V		
Power consumption (max)	3.57 W		

Power over Ethernet (PoE)

Power over Ethernet (PoE) * **×**

Operational conditions

Operating temperature (T-T) -40 - 75 °C

Storage temperature (T-T) -40 - 85 °C



0790069437908



790069437908

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.