



D-Link DIS-300G-8PSW Hallittu L2 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki musta

Tuotemerkki : D-Link

Tuotekoodi: DIS-300G-8PSW

Tuotteen nimi : DIS-300G-8PSW

D-Link DIS-300G-8PSW. Kytкин tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 6. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries. Verkkostandardit: IEEE 802.1D, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... DC-syöttöjännite: 48 - 58 V. Power over Ethernet -tuki. Seinäkiinnitteinen



Management features		Power	
Switch type *	Managed	Power consumption (typical)	14 W
Switch layer	L2	Power consumption (max)	265 W
Quality of Service (QoS) support	✓	Power protection features	Over current, Reverse polarity
Web-based management	✓	Power over Ethernet (PoE)	
Traffic shaping	✓	Power over Ethernet (PoE) *	✓
System event log	✓	Power over Ethernet plus (PoE+) ports quantity	4
MIB support	RFC 1757 RMON 1,2,3,9; RFC 2674 Q MIB RFC-1213 MIB-II; RFC-1493 MIB; RFC 2233 IF MIB	Power over Ethernet (PoE) voltage range	54 - 58 V
Ports & interfaces		Power over Ethernet (PoE) power per port	60 W
Basic switching RJ-45 Ethernet ports quantity *	6	Total Power over Ethernet (PoE) budget	120 W
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Operational conditions	
SFP module slots quantity	2	Operating temperature (T-T)	-40 - 75 °C
Fiber optic connector	LC	Storage temperature (T-T)	-40 - 85 °C
Network		Operating relative humidity (H-H)	5 - 95%
Networking standards *	IEEE 802.1D, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x	Weight & dimensions	
10G support *	✗	Width	71 mm
Full duplex	✓	Depth	154 mm
Flow control support	✓	Height	128 mm
Link aggregation	✓	Weight	1.31 kg
Broadcast storm control	✓	Packaging data	
Auto MDI/MDI-X	✓	Package width	195 mm
Spanning tree protocol	✓	Package depth	242 mm
Auto-negotiation	✓	Package height	138 mm
		Package weight	1.81 kg

Network		Technical details	
VLAN support	✓	Shipping (inner) case height	27 cm
Virtual LAN features	Tagged VLAN, Protocol-based VLAN, MAC address-based VLAN, Port-based VLAN, IP subnet-based VLAN	Shipping (inner) case width	40.5 cm
Number of VLANs	1024	Shipping (inner) case length	69.5 cm
Data transmission		Shipping (inner) case net weight	18.1 kg
MAC address table *	8000 entries	Products per shipping (inner) case	10 pc(s)
Store-and-forward	✓	Pallet gross weight (air)	404.4 kg
Jumbo frames support	✓	Master (outer) cases per pallet (air)	20 pc(s)
Jumbo frames	9000	Products per pallet (air)	200 pc(s)
Security		Pallet gross length	120 cm
DHCP features	DHCP server, DHCP snooping, DHCP relay, DHCP client	Pallet gross width	110 cm
Security algorithms	HTTPS, SNMP, SNMPv3, SSH	Pallet height (air)	148.5 cm
Authentication type	IEEE 802.1x, RADIUS	Pallet gross weight (sea)	559.4 kg
Queue scheduling algorithms	SPQ, Weighted Round Robin (WRR)	Master (outer) cases per pallet (sea)	28 pc(s)
Multicast features		Products per pallet (sea)	280 pc(s)
Multicast support	✓	Pallet height (sea)	2.02 m
Design		Shipping (inner) case gross weight	19.4 kg
Rack mounting *	✗	Certificates	
Product colour	Black	Certification	IEC60068-2-6, IEC60068-2-27, IEC60068-2-32, UL 60950-1, CE, FCC, RoHS, WEEE
LED indicators	Alarm, LAN, PoE, Power	Logistics data	
International Protection (IP) code	IP30	Harmonized System (HS) code	85176990
Wall mountable	✓		
DIN rail mounting	✓		
Electromagnetic compatibility	FCC 15, EN 61000-6-2, EN 61000-6-4, EN 61000-4-2, -3, -4, -5, -6		
Performance			
Firmware upgradeable	✓		
Power			
DC input voltage	48 - 58 V		



0790069437939



790069437939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.