

## APC Smart-UPS X 2200VA UPS-virtalähde Linjainteraktiivinen 2,2 kVA 1980 W 9 AC-pistorasia(a)



Tuotemerkki : APC

Tuotekoodi: SMX2200R2HVNC

Tuotteen nimi : Smart-UPS X 2200VA

APC Smart-UPS X 2200VA. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 2,2 kVA, Lähtöteho: 1980 W. Pistorasian tyypit: C13 liitin, C19 liitin, Virtapistoke: C20 liitin, Ulostulojen määrä: 9 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 702 ah, Akun latausaika: 3 h. Kotelo: Telineasennettava/Torni, Tuotteen väri: musta, Telineen kapasiteetti: 2U. Tuotteen leveys: 432 mm, Tuotteen syvyys: 667 mm, Tuotteen korkeus: 85 mm

Features		Design	
UPS topology * Output power capacity * Output power * Waveform * Input operation voltage (min) * Input operation voltage (max) * Input frequency *	tput power capacity *2.2 kVAtput power *1980 Wtput power *Sineout operation voltage (min) *208 Vout operation voltage (max) *230 Vout frequency *50/60 Hz	Form factor * Rack capacity Product colour * Display type LED indicators Certification	Rackmount/Tower 2U Black LCD ✓ CE, EAC, EN/IEC 62040-1, EN/IEC 62040-2, GS Mark, IRAM, RCM, VDE, WEEE
Output operation voltage (min) Output operation voltage (max)	208 V 240 V	Operational conditions	
Output frequency Output frequency regulation Output voltage regulation Surge energy rating Response time Emergency Power Off (EPO)	50/60 Hz +/- 3 Hz 5% 645 J 10 ms	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -15 - 45 °C 0 - 95% 0 - 95% 0 - 3000 m 0 - 15000 m
Noise level	55 dB	Technical details	
Surge protection	✓	Compliance certificates	RoHS
Audible alarm(s)	✓	Weight & dimensions	
Web-based management Audible alarm modes Auto-restart	✓ Battery replacement ✓	Width Depth Height	432 mm 667 mm 85 mm
Ports & interfaces		Weight	37.4 kg
AC outlet types Power plug AC outlets quantity USB 2.0 ports quantity Ethernet LAN (RJ-45) ports	C13 coupler, C19 coupler C20 coupler 9 AC outlet(s) 1 1	Package width Package depth Package height Package weight <b>Packaging data</b>	596 mm 869 mm 243 mm 45.3 kg
Battery		Rack mount kit	/
Battery technology Battery capacity Battery recharge time Hot-swap battery	Sealed Lead Acid (VRLA) 702 Ah 3 h	Cables included Quick installation guide Resource CD	Input power cable, USB cable
Automatic battery test	·	Logistics data	
Cold start		Products per pallet	8 pc(s)

Logistics data	
Harmonized System (HS) code	85078000
Other features	
Output voltage	230 V





731304327738

0731304327738

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.