

## APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, Rackmount 2U, NMC, 3000VA

Brand : APC Product code: SMT3000RMI2UNC

Product name: APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, Rackmount 2U, NMC, 3000VA




APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, rack mountable, NMC, 3000VA APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, Rackmount 2U, NMC, 3000VA. UPS topology: Line-Interactive, Output power capacity: 3 kVA, Output power: 2700 W. AC outlet types: C13 coupler, C19 coupler, C20 coupler, Power plug: C20 coupler, AC outlets quantity: 9 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery capacity: 547 Ah, Battery recharge time: 3 h. Form factor: Rackmount, Product colour: Black, Rack capacity: 2U. Width: 480 mm, Depth: 683 mm, Height: 86 mm



Features		Design	
UPS topology * Line-Interactive Output power capacity * 3 kVA Output power * 2700 W Waveform * Sine Input operation voltage (min) * 151 V Input operation voltage (max) * 302 V Input frequency * 50/60 Hz	Rack capacity Cable length Product colour * Display type LED indicators Certification	2U 2 m Black LCD  ✓ CE, EAC, EN/IEC 62040-1, EN/IEC 62040-2, GS Mark, IRAM, RCM, VDE, WEEE	
Output operation voltage (min) Output operation voltage (max)	220 V 240 V	Operational conditions	WLLL
Output frequency Surge energy rating Response time Emergency Power Off (EPO) Noise level Surge protection	50/60 Hz 320 J 4 ms O 55 dB	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -15 - 45 °C 0 - 95% 0 - 95% 0 - 3000 m 0 - 15000 m
Audible alarm(s)	✓	Technical details	
Web-based management Audible alarm modes	✓ Battery replacement	Sustainability certificates Compliance certificates	Green Premium RoHS
Auto-restart	✓	Weight & dimensions	
Ports & interfaces  AC outlet types  Power plug  AC outlets quantity  USB 2.0 ports quantity	C13 coupler, C19 coupler, C20 coupler C20 coupler 9 AC outlet(s)	Width Depth Height Weight Package width Package depth	480 mm 683 mm 86 mm 44.2 kg 600 mm 980 mm
Battery		Package height	254 mm
Battery technology Battery capacity	Sealed Lead Acid (VRLA) 547 Ah	Package weight  Packaging data	51.6 kg
Battery recharge time 3 h  Hot-swap battery   Automatic battery test   Cold start    Shape of the start   Cold start   Automatic battery test   Cold start   Cold	Rack mount kit Cables included Quick installation guide Resource CD	Input power cable, USB cable	
Design		Logistics data	
Form factor *	Rackmount	Products per pallet	8 pc(s)

Logistics data		
Harmonized System (HS) code	85078000	
Other features		
Output voltage	230 V	





731304327707

0731304327707

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.