



APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, rack mountable, NMC, 3000VA

Brand : APC

Product code: SMT3000RMI2UNC

Product name : APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, rack mountable, NMC, 3000VA



APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, rack mountable, NMC, 3000VA
APC Smart-UPS SMT3000RMI2UNC - 8x C13, 1x C19, USB, rack mountable, NMC, 3000VA. UPS topology: Line-Interactive, Output power capacity: 3 kVA, Output power: 2700 W. AC outlet types: C13 coupler, C19 coupler, C20 coupler, Power plug: C20 coupler, AC outlets quantity: 9 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery capacity: 547 Ah, Battery recharge time: 3 h. Form factor: Rackmount, Product colour: Black, Rack capacity: 2U. Width: 480 mm, Depth: 683 mm, Height: 86 mm




Features		Design	
UPS topology *	Line-Interactive	Rack capacity	2U
Output power capacity *	3 kVA	Cable length	2 m
Output power *	2700 W	Product colour *	Black
Waveform *	Sine	Display type	LCD
Input operation voltage (min) *	151 V	LED indicators	✓
Input operation voltage (max) *	302 V	Certification	CE, EAC, EN/IEC 62040-1, EN/IEC 62040-2, GS Mark, IRAM, RCM, VDE, WEEE
Input frequency *	50/60 Hz	Operational conditions	
Output operation voltage (min)	220 V	Operating temperature (T-T)	0 - 40 °C
Output operation voltage (max)	240 V	Storage temperature (T-T)	-15 - 45 °C
Output frequency	50/60 Hz	Operating relative humidity (H-H)	0 - 95%
Surge energy rating	320 J	Storage relative humidity (H-H)	0 - 95%
Response time	4 ms	Operating altitude	0 - 3000 m
Emergency Power Off (EPO)	0	Non-operating altitude	0 - 15000 m
Noise level	55 dB	Technical details	
Surge protection	✓	Sustainability certificates	Green Premium
Audible alarm(s)	✓	Compliance certificates	RoHS
Web-based management	✓	Weight & dimensions	
Audible alarm modes	Battery replacement	Width	480 mm
Auto-restart	✓	Depth	683 mm
Ports & interfaces		Height	86 mm
AC outlet types	C13 coupler, C19 coupler, C20 coupler	Weight	44.2 kg
Power plug	C20 coupler	Package width	600 mm
AC outlets quantity	9 AC outlet(s)	Package depth	980 mm
USB 2.0 ports quantity	1	Package height	254 mm
Battery		Package weight	51.6 kg
Battery technology	Sealed Lead Acid (VRLA)	Packaging data	
Battery capacity	547 Ah	Rack mount kit	✓
Battery recharge time	3 h	Cables included	Input power cable, USB cable
Hot-swap battery	✓	Quick installation guide	✓
Automatic battery test	✓	Resource CD	✓
Cold start	✓	Logistics data	
Design		Products per pallet	8 pc(s)
Form factor *	Rackmount	Harmonized System (HS) code	85078000

Other features

Output voltage 230 V



0731304327707



731304327707

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.