

APC Smart-UPS On-Line UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 5 kVA 4500 W 12 AC-pistorasia(a)

Tuotemerkki : APC Tuotekoodi: SRT5KXLI

Tuotteen nimi: Smart-UPS On-Line


APC Smart-UPS On-Line. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 5 kVA, Lähtöteho: 4500 W. Pistorasian tyypit: C13 liitin, C19 liitin, Virtapistoke: Hardwire, Ulostulojen määrä: 12 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 845 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 4 min. Tuotteen väri: musta, Näytön tyyppi: LCD, LED-merkkivalot: Tila. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: REACH, CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE





Features		Design	
UPS topology * Output power capacity * Output power * Waveform * Input operation voltage (min) * Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max) Output frequency regulation	Double-conversion (Online) 5 kVA 4500 W Sine 100 V 275 V 40 - 70 Hz 220 V 240 V 50/60 Hz 480 J 94.1% 3:1 55 dB	Product colour * Display type LED indicators International Protection (IP) code Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	Black LCD Status IP20 0 - 40 °C -15 - 45 °C 0 - 95% 0 - 95% 0 - 3000 m
Surge energy rating Efficiency Crest factor		Non-operating altitude Certificates	0 - 15000 m
Emergency Power Off (EPO) Noise level Surge protection		Compliance certificates Certification	RoHS REACH, CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE
Audible alarm(s)	✓	Packaging content	
Auto-restart Ports & interfaces	7	Cables included Quick installation guide	USB cable ✓
AC outlet types	C13 coupler, C19 coupler	Sustainability	
Power plug AC outlets quantity Number of output IEC jumpers	Hardwire 12 AC outlet(s) 2	Sustainability certificates Weight & dimensions	ENERGY STAR
USB port Serial interface	✓ ✓	Width Depth	130 mm 719 mm

Ports & interfaces		Weight & dimensions	
Serial interface type SmartSlot	RJ-45 ✓	Height Weight	432 mm 54.4 kg
Battery Battery technology Battery capacity Typical backup time at full load Typical backup time at half load Battery life (max) Battery recharge time Hot-swap battery	Il.8 min Software eB Package width S year(s) Package depth Package height Package weight Logistics data Products per pallet Harmonized System (HS	Temperature sensor Warranty card Software CD Package width Package depth Package height	✓ ✓ 610 mm 960 mm 330 mm 63.6 kg
Automatic battery test Cold start		Products per pallet Harmonized System (HS) code Total carbon footprint (kg of CO2e)	6 pc(s) 85078000 8386.06
		Packaging content	Comms cable Removable support feet Web/SNMP Management Card





731304301615

0731304301615

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.