



TP-Link Gigabit PCI Express Network Adapter

Brand : TP-Link

Product code: TG-3468 V3

Product name : Gigabit PCI Express Network Adapter

- 10/100/1000Mbps PCIe Adapter
 - 32-bit PCIe interface, saving the finite chassis space
 - Wake-on-LAN, convenient to manage over LAN
 - Gigabit
- 1 × 10/100/1000 Mbps RJ45, Auto-Negotiation, Auto MDI/MDIX, IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3x, 78.5 × 120.8 × 21.5mm

TP-Link Gigabit PCI Express Network Adapter:

Gigabit PCI Express
Network Adapter
TG-3468

Operating System

Supports operating systems include Windows 10/8.1/8/7/Vista/XP

Low-Profile Bracket

In addition to standard bracket, low-profile bracket is also provided for mini tower computer case

Wake On LAN

Remotely power on/off your computer with WOL, good for centralized management


TP-Link Gigabit PCI Express Network Adapter. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 2000 Mbit/s. Product colour: Green



Ports & interfaces		System requirements	
Connectivity technology *	Wired	Linux operating systems supported	✓
Host interface *	PCI Express	Operational conditions	
Interface *	Ethernet	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-40 - 70 °C
Network		Operating relative humidity (H-H)	10 - 90%
Maximum data transfer rate *	2000 Mbit/s	Storage relative humidity (H-H)	5 - 90%
Networking standards *	IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Weight & dimensions	
Ethernet LAN	✓	Width	120.8 mm
Ethernet interface type	Gigabit Ethernet	Depth	78.5 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height	20.9 mm
Cabling technology	10/100/1000BaseT(X)	Packaging data	
Wake-on-LAN ready	✓	Package width	160 mm
Full duplex	✓	Package depth	135 mm
Jumbo frames support	✓	Package height	30 mm
Supported network protocols	CSMA/CD, TCP/IP	Technical details	
Design		Compliance certificates	RoHS
Component for *	PC/Laptop	Other features	
Product colour	Green	Flow control support	✓
Internal *	✓	Supported data transfer rates	10/100/1000 Mbps
Certification	CE, FCC	Data transfer rate	1 Gbit/s
		Operating temperature (T-T)	32 - 104 °F

System requirements


Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 98SE, Windows ME, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
-------------------------------------	---



0777004801109



777004801109



0845973001049



845973001049

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.