



TP-Link TL-SF1024D Hallitsematon Fast Ethernet (10/100) 1U musta

Tuotemerkki : TP-Link

Tuotekoodi: TL-SF1024D V3



Tuotteen nimi : TL-SF1024D

TP-Link TL-SF1024D. Kytin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Fast Ethernet (10/100), Basic kytkentä RJ-45 Ethernet-porttien määrä: 24. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 4,8 Gbit/s. Verkkostandardit: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Telineasennus, Kotelo: 1U



Management features		Power	
Switch type *	Unmanaged	Power source *	AC
Ports & interfaces		AC input voltage	100 - 240 V
Basic switching RJ-45 Ethernet ports quantity *	24	AC input frequency	50 - 60 Hz
Basic switching RJ-45 Ethernet ports type *	Fast Ethernet (10/100)	Power consumption (max)	3.19 W
Network		Other features	
Networking standards *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Dimensions (WxDxH)	294 x 180 x 44 mm
Copper ethernet cabling technology	10BASE-T, 100BASE-TX	Connectivity technology	Wired
Full duplex	✓	Power requirements	100 - 240VAC, 50/60Hz
Half duplex	✓	Wi-Fi	✗
Flow control support	✓	Operational conditions	
Auto MDI/MDI-X	✓	Operating temperature (T-T)	0 - 40 °C
Auto-negotiation	✓	Storage temperature (T-T)	-40 - 70 °C
Data transmission		Operating relative humidity (H-H)	10 - 90%
Supported data transfer rates	10/100 Mbps	Storage relative humidity (H-H)	5 - 90%
Switching capacity *	4.8 Gbit/s	Heat dissipation	10.88 BTU/h
Forwarding rate	3.57 Mpps	Weight & dimensions	
MAC address table *	8000 entries	Width	294 mm
Store-and-forward	✓	Depth	180 mm
Maximum data transfer rate	0.1 Gbit/s	Height	44 mm
Packet buffer memory	2 MB	Packaging content	
Security		Quick start guide	✓
MAC address filtering	✓	Packaging data	
Protocols		Package width	400 mm
Supported network protocols	CSMA/CD, TCP/IP	Package depth	250 mm
Design		Package height	80 mm
Rack mounting *	✓	Package weight	2 kg
Form factor	1U	Certificates	
Product colour	Black	Certification	FCC, CE
		Logistics data	
		Harmonized System (HS) code	85176990

Design

LED indicators


Link, Power



5053460342925



6935364020828



0845973020828



845973020828

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.