

TP-Link 5-Port 10/100Mbps Desktop Network Switch

Brand: TP-Link Product code: TL-SF1005D V1

Product name : 5-Port 10/100Mbps Desktop Network

Switch

- 5 10/100Mbps Auto-Negotiation RJ45 ports, Supports Auto MDI / MDIX
- Green Ethernet technology saves the power up to 68%
- IEEE 802.3x flow control provides reliable data transfer
- Plastic case, desktop design
- Plug and play, no configuration required


TL-SF1005D, 5-port 10/100M, IEEE802.3, 802.3u, 802.3x, CSMA/CD, TCP/IP

TP-Link 5-Port 10/100Mbps Desktop Network Switch. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 1000 entries, Switching capacity: 1 Gbit/s. Networking standards: IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack





Management features		Power	
Switch type *	Unmanaged	Power source *	DC
Ports & interfaces		Power supply included *	✓
Basic switching RJ-45 Ethernet ports quantity * Basic switching RJ-45 Ethernet ports	3	Input current Input voltage Power consumption (max)	0.6 A 5 V 1.48 W
type *	Fast Ethernet (10/100)	Power over Ethernet (PoE)	1.40 W
Power connector	DC-in jack	, ,	
Network		Power over Ethernet (PoE) *	X
Networking standards *	IEEE 802.3u, IEEE 802.3x	Other features	
10G support *	×	Connectivity LEDs	✓
Copper ethernet cabling technology	100BASE-TX, 10BASE-T	Operational conditions	
Full duplex Auto MDI/MDI-X	<i>y</i>	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -40 - 70 °C
Data transmission		Operating relative humidity (H-H)	10 - 90%
Supported data transfer rates Switching capacity *	10/100 Mbps 1 Gbit/s	Storage relative humidity (H-H) Heat dissipation	5 - 95% 6.38 BTU/h
MAC address table *	1000 entries	Weight & dimensions	
Store-and-forward Maximum data transfer rate	✓ 0.1 Gbit/s	Width Depth Height	103.5 mm 69.5 mm 22 mm
Protocols	OCHA (OD. TOD)(D	Packaging data	
Supported network protocols Design	CSMA/CD, TCP/IP	Package width Package depth	108 mm 91 mm
Rack mounting *	X	Package height	85 mm
Stackable *	×	Certificates	
Product colour	White	Certification	FCC, CE, RoHS
		Logistics data	
		Harmonized System (HS) code	85176990









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.