



LG 49XF3E-B infonäyttö Digitaalinen litteä infotaulu 124,5 cm (49") LCD 3000 cd/m² Full HD musta WebOS 24/7

Tuotemerkki : LG

Tuotekoodi: 49XF3E-B

Tuotteen nimi : 49XF3E-B



LG 49XF3E-B. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 124,5 cm (49"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 1920 x 1080 pikseliä, Näytön kirkkaus: 3000 cd/m², HD-tyyppi: Full HD. Toiminta-aika (tunteja/päiviä): 24/7. Käyttöjärjestelmä asennettu: WebOS. Tuotteen väri: musta




Display		Performance	
Display diagonal *	124.5 cm (49")	Purpose *	Universal
Display technology *	LCD	Operating hours (hours/days)	24/7
Display resolution *	1920 x 1080 pixels	Power	
Display brightness *	3000 cd/m ²	Power consumption (typical) *	240 W
HD type *	Full HD	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50 - 60 Hz
Native aspect ratio	16:9	Computer system	
Contrast ratio (typical)	1000:1	Computer system *	✓
Viewing angle, horizontal	178°	Computer system type	System on Chip (SoC)
Viewing angle, vertical	178°	Operating system installed	WebOS
Panel life	50000 h	Weight & dimensions	
Ports & interfaces		Width	1092.7 mm
HDMI ports quantity *	2	Depth	105 mm
DVI port *	✓	Height	626.4 mm
DVI-D ports quantity	1	Weight	21 kg
DisplayPorts quantity *	2	Packaging data	
USB port *	✓	Package width	1195 mm
USB ports quantity	1	Package depth	196 mm
Ethernet LAN *	✓	Package height	760 mm
Ethernet LAN (RJ-45) ports	1	Package weight	25.7 kg
PC Audio in	✓	Packaging content	
Number of speaker outputs	1	Remote control included	✓
RS-232C	✓	Batteries included	✓
Remote (IR) input	1	Cables included	AC, HDMI
Audio		Operational conditions	
Built-in speaker(s) *	✗	Operating temperature (T-T)	0 - 50 °C
Design		Operating relative humidity (H-H)	10 - 80%
Product design *	Digital signage flat panel	Certificates	
Placement supported *	Indoor/outdoor	Certification	FCC Class "A" / CE / KC / VCCI / UL Recognized / CB
Orientation	Horizontal/Vertical	Logistics data	
Product colour *	Black	Harmonized System (HS) code	85285210
VESA mounting *	✓		
Panel mounting interface	600 x 400 mm		

Design

Bezel width (bottom)	9 mm
Bezel width (side)	6.5 mm
Bezel width (top)	9 mm

Other features

Quick start guide	✓
-------------------	---



8806098167586

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date