



# Delock Adapter SuperSpeed USB (USB 3.1 Gen 1) with USB Type-C<sup>TM</sup> male > Gigabit LAN 10/100/1000 Mbps compact white

#### Description

The adapter by Delock expands a PC or laptop by one network interface via the USB Type-CTM interface. In addition, the adapter can also be operated on a Thunderbolt<sup>TM</sup> 3 interface.



## **Specification**

- · Connectors:
- 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
- 1 x Gigabit LAN RJ45 jack
- Chipset: Realtek RTL8153
- SuperSpeed USB 5 Gbps specification
- · Data transfer rate:

Ethernet up to 10 Mbps (Half/Full Duplex)

Fast Ethernet up to 100 Mbps (Half/Full Duplex)

Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)

· Compatible with:

IEEE 802.3: 10BASE-T IEEE 802.3u: 100BASE-TX IEEE 802.3ab: 1000BASE-T

- Support Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure flow control
- Supports 9k Jumbo Frames
- Downwards compatible to USB 2.0
- · LED indicator for power and activity
- USB bus powered
- · Colour: white
- · Cable length incl. connectors: ca. 13.5 cm

### System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 2.6.x, Mac OS 10.9
- Device with a free USB Type- $C^{TM}$  port or with a free Thunderbolt  $^{TM}$  3 port

#### Package content

- USB Type-C™ Gigabit LAN adapter
- User manual

#### Item no. 65906

EAN: 4043619659067

Country of origin: China

Package: Retail Box







# **Images**









General	
Supported operating system:	ex Linux Kernel 2.6.x
	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	ex Mac OS 10.9
LED indicator:	power and activity
Interface	
Connector 1:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male
Connector 2:	1 x Gigabit LAN RJ45 female
Technical characteristics	
Data transfer rate:	Ethernet up to 10 Mbps
	Fast Ethernet up to 100 Mbps
	Gigabit Ethernet up to 1000 Mbps
Physical characteristics	
Colour:	white