ATEN UH7230-AT-G kannettavien tietokoneiden telakka ja porttitoistin Langallinen Thunderbolt 3 Hopea

Tuotemerkki : ATEN

Tuotekoodi: UH7230-AT-G

Tuotteen nimi : UH7230-AT-G

ATEN UH7230-AT-G. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: Thunderbolt 3, Thunderbolt 3 -virrantulo jopa: 85 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Tuotteen väri: Hopea, Tiedonsiirtonopeus: 40 Gbit/s, HD-tyyppi: 4K Ultra HD. Virtalähteen malli: AC, Ulostulojännite: 20 V, Lähtövirta: 8,5 A. Windows-käyttöjärjestelmätuki: Windows 10, Mac-käyttöjärjestelmätuki: Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina,...

Ports & interfaces

Connectivity technology *	Wired
Host interface *	Thunderbolt 3
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
DisplayPorts quantity	1
Thunderbolt 3 ports quantity	1
Thunderbolt 3 Power Delivery	✔
Thunderbolt 3 Power Delivery up to	85 W
Microphone in *	✔
Headphone outputs *	1
Headphone connectivity	3.5 mm
DC-in jack	✔

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s

Performance

Card reader integrated *	✗
Data transfer rate	40 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	4096 x 2160 pixels
Maximum refresh rate	60 Hz
Product colour *	Silver
Housing material	Aluminium
Compatibility	VC986,UC3002,US7220,UE3315,UH3231,UH3230,UH3232,UCE260,UE350A,UEH4002,UC3008,UE3310,UEH4002A,UC3020,UH3233,UC3002A,UC3008A1,UE3315A
Certification	ROHS,Weee,thunderbolt_icon,4K,5K

Power

Power source type	AC
Output voltage	20 V
Output current	8.5 A
Power consumption (typical)	8.5 W

Software

Windows operating systems supported	Windows 10
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%

Weight & dimensions

Width	222 mm
Depth	82 mm
Height	26 mm
Weight	370 g

Packaging data

Quantity per pack	1 pc(s)

Packaging content

Cables included	Thunderbolt
AC adapter included	✔
Packaging content	1x UH7230 Thunderbolt™ 3 Multiport Dock 1x Thunderbolt 3 USB-C Cable 1x AC Power Adapter with LIN2-418K-E12G Cable 1x User Instructions
User guide	✔

Logistics data

Products per master (outer) case	3 pc(s)
Master (outer) case width	257 mm
Master (outer) case length	276 mm
Master (outer) case height	176 mm
Master (outer) case gross weight	4.78 kg
Master (outer) case net weight	4.32 kg

Logistics data

Harmonized System (HS) code   84733020

4719264645884