



ATEN KN1108VA-AX-G KVM-kytkin musta

Tuotemerkki : ATEN

Tuotekoodi: KN1108VA-AX-G

Tuotteen nimi : KN1108VA-AX-G



ATEN KN1108VA-AX-G. Näppäimistöportin liitin: USB, PS/2, Hiiriportin liitin: USB, PS/2, Videoportin tyyppi: VGA. Kaapelitekniikka: 10/100/1000Base-T(X), Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, Tietoturva-algoritmit: 802.1x RADIUS, FIPS 140-2, RSA, SSL/TLS. Enimmäiserottelutarkkuus: 1920 x 1200 pikseliä, Skannausväli: 1,255 s, Käyttäjien määrä: 64 käyttäjä (t). Tuotteen väri: musta, Telineen kapasiteetti: 1U, Kotelon materiaali: Metall. Voimanlähde: AC, Tulojännite: 100 - 240 V, AC-syöttötaajuus: 50 / 60 Hz



Ports & interfaces		Power	
Number of computers controlled *	8	Input voltage	100 - 240 V
Keyboard port type *	USB, PS/2	AC input frequency	50 / 60 Hz
Mouse port type *	USB, PS/2	Input current	1 A
Video port type *	VGA	System requirements	
Console ports *	USB A, Mini-DIN	Windows operating systems supported	✓
Console USB ports quantity	2	Linux operating systems supported	✓
USB hub	✓	Mac operating systems supported	✓
USB 2.0 Type-A hub ports quantity	3	Sustainability	
USB connector type	Mini-USB B, USB Type-A	Compliance certificates	RoHS
PS/2 ports quantity	2	Operational conditions	
Serial port type	RJ-45	Operating temperature (T-T)	0 - 50 °C
Serial ports quantity	2	Storage temperature (T-T)	-20 - 60 °C
Audio connections	✓	Operating relative humidity (H-H)	0 - 80%
Headphone outputs	1	Weight & dimensions	
Number of microphone inputs	1	Width	438.4 mm
Network		Depth	287.8 mm
Ethernet LAN	✓	Height	44 mm
Ethernet LAN (RJ-45) ports	14	Weight	4.37 kg
Cabling technology	10/100/1000Base-T(X)	Packaging data	
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Package width	338 mm
Security algorithms	802.1x RADIUS, FIPS 140-2, RSA, SSL/TLS	Package depth	515 mm
Performance		Package height	155 mm
Maximum resolution *	1920 x 1200 pixels	Package weight	5.58 kg
Scan interval	1,255 s	Packaging content	
Number of users	64 user(s)	Cables included	AC
Firmware upgradeable	✓	Manual	✓
Design		Rack mount kit	✓
Rack mounting *	✗	Logistics data	
Rack capacity	1U	Master (outer) case net weight	4.37 kg
Product colour *	Black	Harmonized System (HS) code	85176200
Housing material	Metal		

Design		Logistics data	
Wired remote switch	✓	Master (outer) case width	338 mm
Cascadable	✓	Master (outer) case length	515 mm
LED indicators	✓	Master (outer) case height	155 mm
Push button	✓	Master (outer) case gross weight	5.58 kg
Hot keys	✓	Products per master (outer) case	1 pc(s)
Display			
Built-in display *	✗		
Power			
Power source	AC		



4719264645303

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date