



D-Link DWL-7620AP WLAN-tukiasema 2200 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : D-Link

Tuotekoodi: DWL-7620AP

Tuotteen nimi : DWL-7620AP

D-Link DWL-7620AP. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 2200 Mbit/s. Tietoturva-algoritmit: AES, SNMP, SNMPv3, TKIP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen. Tehonkulutus (maks.): 20 W



Features		Technical details	
2.4 GHz *	✓	Shipping (inner) case height	32.8 cm
5 GHz *	✓	Shipping (inner) case net weight	6.42 kg
Maximum data transfer rate *	2200 Mbit/s	Products per shipping (inner) case	5 pc(s)
Ethernet LAN data rates	10,100,1000 Mbit/s	Pallet gross weight (air)	200.3 kg
Frequency band	2.4 - 2.4835; 5.15 - 5.85 GHz	Master (outer) cases per pallet (air)	24 pc(s)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.1Q, IEEE 802.1p, IEEE 802.3at	Products per pallet (air)	120 pc(s)
		Pallet gross length	110 cm
		Pallet gross width	120 cm
		Pallet height (air)	144.7 cm
Channels quantity	165 channels	Pallet gross weight (sea)	244.5 kg
Automatic channel selection	✓	Master (outer) cases per pallet (sea)	30 pc(s)
MIMO	✓	Products per pallet (sea)	150 pc(s)
Wi-Fi Multimedia (WMM)/(WME)	✓	Pallet height (sea)	177.5 cm
Fast roaming	✓	Shipping (inner) case gross weight	7.28 kg
STA isolation (same VLAN)	✓	Certificates	
Band steering	✓	Certification	CE, FCC, IC, cUL+UL, CB, RCM, NCC, BSMI, UL2043, EN55032, EN55024, EN61000-3-2, EN61000-3-3, EN60601-1-2, EN301489-1, EN301489-17, EN300328, EN301893
Airtime Fairness (ATF)	✓		
Quality of Service (QoS) support	✓	Weight & dimensions	
Security		Width	205 mm
Security algorithms *	AES, SNMP, SNMPv3, TKIP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise	Depth	205 mm
MAC address filtering	✓	Height	39 mm
Number of SSID supported	32	Weight	570 g
Auto Wireless Distribution System (WDS)	✓	Packaging data	
Management features		Package width	295 mm
Web-based management	✓	Package depth	296 mm
Ports & interfaces		Package height	94 mm
Ethernet LAN (RJ-45) ports *	2	Package weight	1.28 kg
DC-in jack	✓	Operational conditions	
Power		Operating relative humidity (H-H)	10 - 90%
Power over Ethernet (PoE) *	✓	Operating temperature (T-T)	0 - 40 °C
Output voltage	12 V	Storage temperature (T-T)	-20 - 65 °C
Output current	2.5 A	Storage relative humidity (H-H)	5 - 95%
Power consumption (max)	20 W	Logistics data	
		Harmonized System (HS) code	85176990

Design

Placement *	Table, Wall
Product colour *	White
Housing material	Plastic
Internal	✘

Antenna

Antennas quantity	2
Antenna gain level (max)	4 dBi

Technical details

Shipping (inner) case length	44.9 cm
Shipping (inner) case width	31.2 cm



0790069438059



790069438059



0790069438066



790069438066

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.