

Epson SureColor SC-T3100N

Brand : Epson

Product family: SureColor

Product code: C11CF11301A0

Product name : SureColor SC-T3100N

SureColor SC-T3100N

[Epson SureColor SC-T3100N:](#)

Clean design

White, compact and fits most environments.

These inks don't run

It uses UltraChrome XD2 pigment inks which means your prints are smudge and water resistant (whereas standard dye inks may run). Also, the SC-T3100N delivers deep blacks and crisp, dense lines — ideal for technical graphics.

Supports wireless printing

Enables users to print directly from smartphones or tablet devices.

Seamless paper changes

Change seamlessly between LFP roll and sheetfeed as this printer supports up to A1 cutsheets as well as rolls.

Peace of mind

Unique Nozzle Verification Technology (NVT) helps prevent misprints.

Accuracy and precision

Print technical, architectural and engineering drawings in great detail, with ease.



| Printing | | Performance | |
|------------------------------|---|-------------------------------------|---|
| Print head nozzles | 800 nozzles black, 800 nozzles per colour | Control type | Touch |
| Print technology * | Inkjet | Internal memory | 1024 MB |
| Colour * | ✓ | Sound pressure level (standby) | 32 dB |
| Maximum resolution * | 2400 x 1200 DPI | Sound power level (standby) | 32 dB |
| Page description languages * | ESC/P-R, HP-GL/2, HP-RTL | Sound pressure level (printing) | 49 dB |
| Printing colours * | Black, Cyan, Yellow, Magenta | Country of origin | Indonesia |
| Print head | PrecisionCore | Power | |
| Copying | | Power consumption (standby) | 8 W |
| Copying * | ✗ | Power consumption (typical) | 28 W |
| Scanning | | Power consumption (off) | 0.2 W |
| Scanning * | ✗ | AC input voltage | 100-240 V |
| Paper handling | | AC input frequency | 50 - 60 Hz |
| Maximum print size * | A1 (594 x 841 mm) | System requirements | |
| ISO A-series sizes (A0...A9) | A1, A2, A3, A3+, A4 | Compatible operating systems | Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP |
| ISO B-series sizes (B0...B9) | B1, B2, B3, B4, B5 | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP |
| Cut sheets * | ✓ | Mac operating systems supported | Mac OS X 10.6 Snow Leopard |
| Media thickness | SingleSheet0.3 | Weight & dimensions | |
| Maximum roll width | 61 cm | Width | 970 mm |
| Maximum roll diameter | 11.9 cm | Depth | 696 mm |
| Roll weight (rear roll) | 4.2 kg | Height | 230 mm |
| Print margin cut-sheet | 3 x 3 x 3 x 3 | Weight | 27 kg |
| Roll paper | ✓ | Packaging data | |
| Ports & interfaces | | Package width | 730 mm |
| Wi-Fi * | ✓ | Package depth | 1212 mm |
| Ethernet interface type | Gigabit Ethernet | Package height | 655 mm |
| Ethernet LAN * | ✓ | | |

| Ports & interfaces | | Packaging data | |
|--|--------------------------------------|-----------------------------|---------------------------------------|
| USB port * | ✘ | Package weight | 37.5 kg |
| USB connector | USB Type-A | Cartridge(s) included | ✓ |
| USB 3.2 Gen 1 (3.1 Gen 1) ports quantity | 1 | Drivers included | ✓ |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Manual | ✓ |
| Direct printing | ✓ | Quick start guide | ✓ |
| Wi-Fi Direct | ✓ | Other features | |
| Supported network protocols | TLS, SSL, SNMP, IPSec, IPv6, IEEE802 | Line accuracy | +/- 0,1 |
| RJ-45 ports quantity | 1 | Minimum line width | 0.07 mm |
| Mobile printing technologies | Apple AirPrint | Touchscreen | ✓ |
| Security algorithms | SSL/TLS, SNMP, IPSec | Ink drop | 4 |
| Performance | | Compatible products | WorkForce DS-6500, WorkForce DS-60000 |
| Product colour * | White | Logistics data | |
| Built-in display * | ✓ | Quantity per pack | 1 pc(s) |
| Display | LCD | Harmonized System (HS) code | 84433210 |
| Colour display | ✓ | | |
| Display diagonal | 10.9 cm (4.3") | | |



8715946662428

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date