



QNAP TVS-872XT NAS Tower Intel® Core™ i5 16 GB DDR4 0 TB QNAP QTS musta



Tuotemerkki : QNAP

Tuotekoodi: TVS-872XT-I5-16G

Tuotteen nimi : TVS-872XT

QNAP TVS-872XT. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Pienet & Keskikokoiset Yritykset. Suoritinperhe: Intel® Core™ i5. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR4. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QNAP QTS

Storage		Design	
Storage drive capacity *	0 GB	LED indicators	HDD, LAN, USB
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Built-in display	✓
Storage drive sizes supported	2.5,3.5"	Cable lock slot	✓
Number of M.2 (M & B) slots	2	Cable lock slot type	Kensington
RAID support *	✓	Performance	
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Type *	NAS
Online RAID migration	✓	Device class *	Small & Medium Business
Online RAID expansion	✓	Backup function *	✓
RAID rebuild	✓	Backup features	Cloud, iSCSI LUN
Hot-swap drive bays	✓	Buzzer	✓
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Multilingual support	✓
Storage drives installed *	✗	Noise level	24.2 dB
Total installed storage capacity *	0 TB	Web-based management	✓
Number of storage drives supported *	8	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMPv3, SSH, SSL/TLS
Installed storage drive type *	✗	Access Control List (ACL)	✓
Supported storage drive types *	HDD & SSD	Reset button	✓
Bad block scan	✓	On/off switch	✓
Processor		Built-in iTunes server	✓
Processor manufacturer *	Intel	Built-in FTP server	✓
Processor generation	8th gen Intel® Core™ i5	Browser supported	Apple Safari, Google Chrome, Microsoft Internet Explorer, Mozilla Firefox
Processor family *	Intel® Core™ i5	System log	✓
On-board graphics card model	Intel® UHD Graphics 630	Hot spare	✓
Memory		S.M.A.R.T. support	✓
Internal memory *	16 GB	Share folder	CIFS/SMB
Internal memory type	DDR4	Remotely operated	✓
Maximum RAM supported	32 GB	Universal Plug and Play (UPnP)	✓
Memory slots	2	USB copy function	✓
Memory form factor	SO-DIMM	Software	
Flash memory	5000 MB	Operating system installed *	QNAP QTS
Network		Operating system version	5.0.0
Ethernet LAN *	✓		
Ethernet LAN data rates	10,100,1000,2500,10000 Mbit/s		

Network		Software	
Ethernet LAN data rate supported (max)	10000 Mbit/s		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
DHCP client	✓	Windows operating systems supported	
DHCP server	✓		
Jumbo frames support	✓		
iSCSI support	✓		
Wake-on-LAN ready	✓		
Supported network protocols	TCP/IP, IPv4, IPv6		
Dynamic DNS (DDNS)	✓		
WLAN adapter supported	✓		
Ports & interfaces			
USB port *	✓		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Linux operating systems supported	CentOS 7.0, SuSE Linux 12.0, SuSE Linux 12.3, SuSE Linux 15, Ubuntu 14.04, Ubuntu 14.10, Ubuntu 15.04, Ubuntu 15.10, Ubuntu 16.04, Ubuntu 16.10, Ubuntu 17.10, Ubuntu 18.04 LTS, Ubuntu 20.04 LTS
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2		
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2		
HDMI ports quantity	1		
HDMI version	2.0		
Ethernet LAN (RJ-45) ports *	3		
Thunderbolt 3 ports quantity	2		
Concurrent connections	3500		
PCI Express x4 (Gen 3.x) slots	1		
PCI Express x16 (Gen 3.x) slots	1		
Design		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Chassis type *	Tower	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Cooling type *	Active		
Product colour	Black		
Number of fans	4 fan(s)		
Fan diameter	12 cm		
Fan diameter 2	6 cm		
		Other operating systems supported	IBM AIX 7.1, IBM AIX 7.2, Solaris 10, Solaris 11
		Power	
		Power supply location	Built-in
		Power supply unit (PSU) capacity	250 W
		Number of power supply units	1
		Power consumption (typical)	65.03 W
		Power consumption (HDD standby)	41.47 W
		AC input voltage	100 - 240 V
		Fan voltage	12 V
		Weight & dimensions	
		Width *	329.3 mm
		Depth *	279.6 mm
		Height *	188.2 mm
		Weight	7.06 kg
		Package weight	9.19 kg
		Packaging content	
		Cables included	AC, LAN (RJ-45)
		Power cables quantity	1
		Quick installation guide	✓
		Number of screws	48
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C

Operational conditions

Storage relative humidity (H-H) 5 - 95%

Logistics data

Harmonized System (HS) code 84714100



4713213514528

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date