

Lexmark CS820de Colour 1200 x 1200 DPI A4

Brand : Lexmark

Product code: 21K0234

Product name : CS820de

Lexmark CS820de. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 200000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 57 ppm, Duplex printing. Network ready. Product colour: Black, White



Printing		Network	
Print resolution colour	2400 x 600 DPI	Mobile printing technologies	Apple AirPrint
Print speed (colour, normal quality, A4/US Letter)	57 ppm	Performance	
Colour *	✓	Internal memory *	1024 MB
Print technology *	Laser	Maximum internal memory	3072 MB
Duplex printing *	✓	Built-in processor	✓
Maximum resolution *	1200 x 1200 DPI	Processor frequency	1330 MHz
Print speed (black, normal quality, A4/US Letter) *	57 ppm	Sound pressure level (printing)	56 dB
Time to first page (black, normal)	7 s	Sound pressure level (duplex printing)	57 dB
Time to first page (colour, normal)	7 s	Sound pressure level (quiet mode)	52 dB
Features		Design	
Maximum duty cycle *	200000 pages per month	Product colour *	Black, White
Recommended duty cycle	2500 - 25000 pages per month	Built-in display *	✓
Printing colours *	Black, Cyan, Magenta, Yellow	Display diagonal	10.9 cm (4.3")
Number of print cartridges *	4	Touchscreen	✓
Page description languages *	PCL 5c, PCL 6, PPDS, PostScript 3	Control type	Touch
Input & output capacity		ENERGY STAR, ICES-003 Class A, BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECP, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT, Blue Angel (Blauer Engel)	
Total number of input trays *	2		
Total input capacity *	650 sheets		
Total output capacity *	500 sheets		
Paper input type	Paper tray		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Maximum number of input trays	6	Certification	
Maximum input capacity	4500 sheets	Power	
Maximum output capacity	500 sheets	Power consumption (printing) *	800 W
Paper handling		Power consumption (ready)	80 W
Maximum ISO A-series paper size *	A4	Power consumption (standby)	0.3 W
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper	Energy Star Typical Electricity Consumption (TEC)	3.3 kWh/week
ISO A-series sizes (A0...A9) *	A4, A5, A6	System requirements	
ISO B-series sizes (B0...B9)	B5	Windows operating systems supported	✓
ISO C-series sizes (C0...C9)	C4, C5	Mac operating systems supported	✓
Non-ISO print media sizes	Folio, Letter, Oficio, Statement, Universal	Linux operating systems supported	✓
JIS B-series sizes (B0...B9)	B5	Operational conditions	
Paper tray media weight (imperial)	27.2 - 79.8 kg (60 - 176 lbs)	Operating temperature (T-T)	10 - 32 °C
Multi-Purpose Tray media weight (imperial)	27.2 - 79.8 kg (60 - 176 lbs)	Operating relative humidity (H-H)	15 - 80%
		Operating altitude	0 - 2896 m

Ports & interfaces		Sustainability	
Standard interfaces	Ethernet, USB 2.0	Sustainability certificates	Blue Angel, ENERGY STAR
USB 2.0 ports quantity	3	Weight & dimensions	
Optional connectivity	Wireless LAN	Width	558.8 mm
Network		Depth	522.4 mm
Network ready	✓	Height	535.9 mm
Ethernet LAN *	✓	Weight	62.3 kg
Security algorithms	802.1x RADIUS, IPsec, LEAP, MD5, PEAP, SSL/TLS, TTLS	Packaging data	
Supported network protocols (IPv4)	TCP/IP, TCP, UDP	Package width	700 mm
Supported network protocols (IPv6)	TCP/IP, TCP, UDP	Package depth	760 mm
Management protocols	HTTP, HTTPS (SSL / TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutoIP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, telnet, Finger	Package height	835 mm
		Package weight	75 kg
		Other features	
		Power LED	✓
		Stand-by LED	✓



0734646616157



734646616157

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.