

Lexmark CX924dxe Laser A3 1200 x 1200 DPI 65 ppm

Brand : Lexmark

Product code: 32C0241

Product name : CX924dxe

Lexmark CX924dxe. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 65 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Colour faxing. Maximum ISO A-series paper size: A3. Direct printing. Product colour: Black, Grey



Printing		Ports & interfaces	
Print technology *	Laser	Standard interfaces	Ethernet, USB 2.0
Printing *	Colour printing	Direct printing *	✓
Duplex printing *	✓	USB port	✓
Maximum resolution *	1200 x 1200 DPI	USB connector	USB Type-A / USB Type-B
Print speed (black, normal quality, A4/US Letter) *	65 ppm	Optional connectivity	Serial (RS-422), Wireless LAN
Print speed (colour, normal quality, A4/US Letter)	65 ppm	Network	
Duplex print speed (ISO/IEC 24734) mono	65 ipm	Ethernet LAN *	✓
Time to first page (black, normal)	4.9 s	Cabling technology	10/100/1000Base-T(X)
Time to first page (colour, normal)	4.9 s	Ethernet LAN data rates	10,100,1000 Mbit/s
Copying		Security algorithms	HTTPS, IPsec, LEAP, MD5, MSCHAPv2, PEAP, SSL/TLS, TTLS
Copying *	Colour copying	Mobile printing technologies	Apple AirPrint
Copy speed (black, normal quality, A4)	65 cpm	Performance	
Copy speed (colour, normal quality, A4)	65 cpm	Maximum internal memory	4096 MB
Time to first copy (black, normal)	4.8 s	Internal memory *	2048 MB
Time to first copy (colour, normal)	5.5 s	Built-in processor	✓
Copier resize	25 - 400%	Processor frequency	1200 MHz
Scanning		Processor cores	4
Duplex scanning *	✓	Sound pressure level (printing)	55 dB
Scanning *	Colour scanning	Sound pressure level (duplex printing)	55 dB
Optical scanning resolution *	600 x 600 DPI	Sound pressure level (copying)	57 dB
Maximum scan area	297 x 432 mm	Sound pressure level (scanning)	53 dB
Scanner type *	Flatbed & ADF scanner	Sound pressure level (quiet mode)	50 dB
Scan technology	CCD	Sound power level (standby)	28 dB
Scan to	E-mail, FTP, PC, USB	Design	
Scan speed (colour)	80 ppm	Product colour *	Black, Grey
Scan speed (black)	80 ppm	Market positioning *	Business
Duplex scan speed (colour)	160 ppm	Built-in display *	✓
Duplex scan speed (black)	160 ppm	Display diagonal	6.35 cm (2.5")
Image formats supported	JPEG XR, JPG, TIF	Touchscreen	✓
Document formats supported	PDF, XPS	Control type	Touch
Fax		Colour display	✓
Faxing *	Colour faxing	Power	
Fax transmission speed	3 sec/page	Power consumption (printing)	1250 W
Modem speed	33.6 Kbit/s	Power consumption (copying)	1275 W
Features		Power consumption (scanning)	250 W
Recommended duty cycle	8000 - 50000 pages per month	Power consumption (ready)	230 W
		Power consumption (sleep)	2.9 W

Features		Power	
Maximum duty cycle *	275000 pages per month	Energy Star Typical Electricity Consumption (TEC)	5 kWh/week
Page description languages	PCL 5c, PCL 6, PDF 1.7, PPDS, PostScript 3, XPS		
Input & output capacity		System requirements	
Total number of input trays *	4	Windows operating systems supported	✓
Total input capacity *	3650 sheets	Linux operating systems supported	✓
Total output capacity *	250 sheets	Operational conditions	
Paper input type	Paper tray	Operating relative humidity (H-H)	15 - 85%
Auto document feeder (ADF)	✓	Operating temperature (T-T)	10 - 30 °C
Auto document feeder (ADF) input capacity	100 sheets	Operating altitude	0 - 2500 m
Auto document feeder (ADF) output capacity	100 sheets	Certificates	
Maximum number of input trays	5	Certification	ICES-003 Class A, BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CEECP, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT
Maximum input capacity	6650 sheets	Sustainability	
Maximum output capacity	3500 sheets	Sustainability certificates	Blue Angel, ENERGY STAR
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A3	Width	615 mm
Paper tray media types *	Banner, Card stock, Envelopes, Labels, Plain paper	Depth	697 mm
Multi-purpose tray media types	Envelopes, Labels, Plain paper	Height	1225 mm
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Weight	134.5 kg
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement, Universal	Packaging data	
JIS B-series sizes (B0...B9)	B5	Package width	758 mm
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Package depth	911 mm
Paper tray media weight	60 - 256 g/m ²	Package height	1505 mm
Multi-Purpose Tray media weight	60 - 256 g/m ²	Package weight	168 kg
		Other features	
		Duplex	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-NOV-2024. Prints or copies of Information are only valid on the printed Publication date