

Lexmark CS521dn Colour A4

Brand : Lexmark

Product code: 42C0071

Product name : CS521dn

Lexmark CS521dn. Print technology: Laser, Colour. Maximum duty cycle: 85000 pages per month. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 33 ppm, Duplex printing. Display: LCD, Product colour: Grey, White



Printing		Performance	
Print resolution colour	2400 x 600 DPI	Processor cores	2
Print resolution black	1200 x 1200 DPI	Sound pressure level (printing)	50 dB
Print speed (colour, normal quality, A4/US Letter)	33 ppm	Sound pressure level (duplex printing)	52 dB
Colour *	✓	Design	
Print technology *	Laser	Market positioning *	Home & office
Duplex printing *	✓	Product colour *	Grey, White
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Built-in display *	✓
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm	Display	LCD
Duplex print speed (colour, normal quality, A4/US Letter)	16 ppm	Colour display	✓
Time to first page (black, normal)	7.5 s	Display diagonal	6.1 cm (2.4")
Time to first page (colour, normal)	7.5 s	Touchscreen	✗
Print margins (top, bottom, right, left)	4.2 mm	ENERGY STAR, Blue Angel RAL-UZ-171, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CE EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, UCRF, EC 1275	
Features		Certification	
Maximum duty cycle *	85000 pages per month	Power	
Recommended duty cycle	1500 - 8500 pages per month	Power consumption (printing) *	530 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (ready)	37 W
Page description languages *	Microsoft XPS, PCL 5c, PCL 6, PDF 1.7, PPDS, PostScript 3	Power consumption (standby)	1.3 W
Country of origin	China	Power consumption (off)	0.2 W
Input & output capacity		Energy Star Typical Electricity Consumption (TEC)	1.4 kWh/week
Total number of input trays *	2	System requirements	
Total input capacity *	251 sheets	Windows operating systems supported	✓
Total output capacity *	125 sheets	Mac operating systems supported	✓
Maximum number of input trays	5	Linux operating systems supported	✓
Maximum input capacity	1451 sheets	Other operating systems supported	✓
Maximum output capacity	125 sheets	Operational conditions	
Paper handling		Operating temperature (T-T)	10 - 32 °C
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	8 - 80%
Paper tray media types *	Card stock, Labels, Plain paper	Operating altitude	0 - 3048 m
ISO A-series sizes (A0...A9) *	A4, A5, A6		
Non-ISO print media sizes	Executive, Folio, Hagaki card, Legal, Oficio, Universal		
JIS B-series sizes (B0...B9)	B5		
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL		
Paper tray media weight	90.3 - 105 g/m ²		

Ports & interfaces		Sustainability	
Standard interfaces	Ethernet, USB 2.0	Sustainability certificates	ENERGY STAR
Direct printing *	✓	Weight & dimensions	
USB 2.0 ports quantity	3	Width	442 mm
USB connector	USB Type-A / USB Type-B	Depth	421 mm
Network		Height	308 mm
Ethernet LAN *	✓	Weight	21 kg
Cabling technology	10/100/1000Base-T(X)	Packaging data	
Ethernet LAN data rates	10,100,1000 Mbit/s	Package width	495 mm
Security algorithms	HTTPS, IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, SSL/TLS, TTLS	Package depth	595 mm
Supported network protocols (IPv4)	TCP/IP IPv4, AppleTalk	Package height	402 mm
Supported network protocols (IPv6)	TCP/IP IPv6, TCP, UDP	Package weight	23.8 kg
Management protocols	DHCP, APIPA (AutoIP), mDNS, IGMP, Bonjour, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL5 /TLS), Finger	Packaging content	
Mobile printing technologies	Apple AirPrint	Cartridge(s) included	✓
Performance		Included cartridge capacity (black)	3000 pages
Internal memory *	1024 MB	Included cartridge capacity (CMY)	2000 pages
Maximum internal memory	1024 MB	Manual	✓
Built-in processor	✓	Software CD	✓
Processor frequency	1000 MHz	Documentation CD	✓
		Cables included	AC

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-NOV-2024. Prints or copies of Information are only valid on the printed Publication date