

Lexmark CS521dn Väri A4

Tuotemerkki : Lexmark

Tuotekoodi: 42C0071

Tuotteen nimi : CS521dn

- Color Laser
 - Kaksipuolinen tulostus: Integrated Duplex
 - Tulostusnopeus: 33 s/min
 - Suositeltava kuukausittainen käyttö sivuina: 1500 - 8500 sivua
 2.4" LCD, 442 x 421 x 308 mm, 21 kg, 33 ppm, Dual Core, 1000 MHz, 1024 MB
 Lexmark CS521dn. Tulostustekniikka: Laser, Väri. Suurin toimintajakso: 85000 sivua kuukaudessa.
 Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 33 ppm,
 Kaksipuolinen tulostus. Näyttö: LCD, Tuotteen väri: Harmaa, Valkoinen

| Printing | | Performance | |
|---|---|---|--|
| Print resolution colour | 2400 x 600 DPI | Processor cores | 2 |
| Print resolution black | 1200 x 1200 DPI | Sound pressure level (printing) | 50 dB |
| Print speed (colour, normal quality, A4/US Letter) | 33 ppm | Sound pressure level (duplex printing) | 52 dB |
| Colour * | ✓ | Design | |
| Print technology * | Laser | Market positioning * | Home & office |
| Duplex printing * | ✓ | Product colour * | Grey, White |
| Print speed (black, normal quality, A4/US Letter) * | 33 ppm | Built-in display * | ✓ |
| Duplex print speed (black, normal quality, A4/US Letter) | 16 ppm | Display | LCD |
| Duplex print speed (colour, normal quality, A4/US Letter) | 16 ppm | Colour display | ✓ |
| Time to first page (black, normal) | 7.5 s | Display diagonal | 6.1 cm (2.4") |
| Time to first page (colour, normal) | 7.5 s | Touchscreen | ✗ |
| Print margins (top, bottom, right, left) | 4.2 mm | | |
| Features | | | |
| Maximum duty cycle * | 85000 pages per month | Certification | ENERGY STAR, Blue Angel RAL-UZ-171, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, UCRF, EC 1275 |
| Recommended duty cycle | 1500 - 8500 pages per month | | |
| Printing colours * | Black, Cyan, Magenta, Yellow | | |
| Page description languages * | Microsoft XPS, PCL 5c, PCL 6, PDF 1.7, PPDS, PostScript 3 | | |
| Country of origin | China | | |
| Input & output capacity | | Power | |
| Total number of input trays * | 2 | Power consumption (printing) * | 530 W |
| Total input capacity * | 251 sheets | Power consumption (ready) | 37 W |
| Total output capacity * | 125 sheets | Power consumption (standby) | 1.3 W |
| Maximum number of input trays | 5 | Power consumption (off) | 0.2 W |
| Maximum input capacity | 1451 sheets | Energy Star Typical Electricity Consumption (TEC) | 1.4 kWh/week |
| Maximum output capacity | 125 sheets | System requirements | |
| Paper handling | | Windows operating systems supported | ✓ |
| Maximum ISO A-series paper size * | A4 | Mac operating systems supported | ✓ |
| Paper tray media types * | Card stock, Labels, Plain paper | Linux operating systems supported | ✓ |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Other operating systems supported | ✓ |
| Non-ISO print media sizes | Executive, Folio, Hagaki card, Legal, Oficio, Universal | Operational conditions | |
| JIS B-series sizes (B0...B9) | B5 | Operating temperature (T-T) | 10 - 32 °C |
| Envelopes sizes | 7 3/4, 9, 10, B5, C5, DL | Operating relative humidity (H-H) | 8 - 80% |
| Paper tray media weight | 90.3 - 105 g/m ² | Operating altitude | 0 - 3048 m |
| Ports & interfaces | | Sustainability | |
| Standard interfaces | Ethernet, USB 2.0 | | |

| Ports & interfaces | | Sustainability | |
|------------------------------------|--|-------------------------------------|-------------|
| Direct printing * | ✓ | Sustainability certificates | ENERGY STAR |
| USB 2.0 ports quantity | 3 | Weight & dimensions | |
| USB connector | USB Type-A / USB Type-B | Width | 442 mm |
| Network | | Depth | 421 mm |
| Ethernet LAN * | ✓ | Height | 308 mm |
| Cabling technology | 10/100/1000Base-T(X) | Weight | 21 kg |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Packaging data | |
| Security algorithms | HTTPS, IPsec, LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, SSL/TLS, TTLS | Package width | 495 mm |
| Supported network protocols (IPv4) | TCP/IP IPv4, AppleTalk | Package depth | 595 mm |
| Supported network protocols (IPv6) | TCP/IP IPv6, TCP, UDP | Package height | 402 mm |
| Management protocols | DHCP, APIPA (AutoIP), mDNS, IGMP, Bonjour, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL5 /TLS), Finger | Package weight | 23.8 kg |
| Mobile printing technologies | Apple AirPrint | Packaging content | |
| Performance | | Cartridge(s) included | ✓ |
| Internal memory * | 1024 MB | Included cartridge capacity (black) | 3000 pages |
| Maximum internal memory | 1024 MB | Included cartridge capacity (CMY) | 2000 pages |
| Built-in processor | ✓ | Manual | ✓ |
| Processor frequency | 1000 MHz | Software CD | ✓ |
| | | Documentation CD | ✓ |
| | | Cables included | AC |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date