Lexmark MS821dn 1200 x 1200 DPI A4

Brand : Lexmark **Product code:** 50G0121

Product name: MS821dn

Lexmark MS821dn. Print technology: Laser. Maximum duty cycle: 250000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 52 ppm, Duplex printing. Display: LCD

Printing		Performance	
Colour *	×	Maximum internal memory	4608 MB
Print technology *	Laser	Built-in processor	✓
Duplex printing *	✓	Processor frequency	1000 MHz
Maximum resolution *	1200 x 1200 DPI	Processor cores	2
Print speed (black, normal quality, A4/US Letter) *	52 ppm	Sound pressure level (duplex printing)	57 dB
Duplex print speed (black, normal quality, A4/US Letter)	32 ppm	Design	
Time to first page (black, normal)	4.5 s	Built-in display *	✓
Features		Display	LCD
Maximum duty cycle *	250000 pages per month	Colour display	✓
Recommended duty cycle	3000 - 50000 pages per month	Display diagonal	6.1 cm (2.4")
Printing colours *	Black	Touchscreen	×
Page description languages *	Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3		ICES-003 Class A, BSMI Class A, VCCI Class A, US FDA, UL 60950-1,
Input & output capacity	· · · · ·		FCC Class A, cUL CAN / CSA-C22.2 60950-1, NOM , CB EN / IEC
Total number of input trays *	2		60950-1, CB EN / IEC 60825-1, CE DoC (EN 62301 Class A, EN 62311,
Total input capacity *	650 sheets	Certification	CE EN / IEC 60950-1, CE EN / IEC
Total output capacity *	550 sheets		60825-1, EN 61000-3, EN 55022
Paper input type	Paper tray		Class A, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick
Multi-Purpose tray	✓		DoC, UL-AR, KC mark, UL GS mark,
Multi-Purpose tray input capacity	100 sheets		EC 1275, MET-I, ISO 532B ,
Maximum number of input trays	6		ECMA-370, TED, GOST-R, SII, TER
Maximum input capacity	4400 sheets	Power	
Maximum output capacity	2550 sheets	Power consumption (printing) *	670 W
Paper handling		Power consumption (ready)	39 W
	A 4	Energy Star Typical Electricity Consumption (TEC)	2.1 kWh/week
Maximum ISO A-series paper size *	A4 Card stock, Envelopes, Labels, Plain	·	
Paper tray media types *	paper, Transparencies	System requirements Windows operating systems	_
Multi-purpose tray media types	Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies	supported	✓
ISO A-series sizes (A0A9) *	A4, A5, A6	Linux operating systems supported	CHCE I'm Falson for Consulta
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Universal	Control of the contro	SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11,
JIS B-series sizes (B0B9)	B5	Server operating systems supported	Windows 2000 Server, Windows
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL		Server 2012
Paper tray media weight	60 - 176 g/m²	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	10 - 32 °C
Direct printing *	✓	Operating relative humidity (H-H)	8 - 80%
USB port *	/	Operating altitude	0 - 2896 m
USB connector	USB Type-A / USB Type-B	Sustainability	
Optional connectivity	Wireless LAN	•	Blue Angel, EPEAT Silver, ENERGY
Network		Sustainability certificates	STAR
Ethernet LAN *	✓	Weight & dimensions	
Cabling technology	10/100/1000Base-T(X)	Width	428 mm
,	• •		

Network		Weight & dimensions	
Ethernet LAN data rates Security algorithms	10,100,1000 Mbit/s HTTPS, IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMP, SNMPv3, SSL/TLS, TTLS	Depth Height	510 mm 445 mm
		Weight	25.4 kg
Performance		Packaging data	
Internal memory *	512 MB	Package width	550 mm
		Package depth	650 mm
		Package height	565 mm
		Package weight	29.9 kg
		Packaging content	
		Cables included	AC





734646672108

0734646672108

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.