## Lexmark MS826de 1200 x 1200 DPI A4

**Brand :** Lexmark **Product code:** 50G0331

Product name: MS826de

Lexmark MS826de. Print technology: Laser. Maximum duty cycle: 350000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 66 ppm, Duplex printing. Display: LCD, Product colour: Black, White







Printing		Performance	
Colour *	×	Sound pressure level (printing)	58 dB
Print technology *  Duplex printing *	Laser	Sound pressure level (duplex printing)	58 dB
Maximum resolution *	1200 x 1200 DPI	Design	
Print speed (black, normal quality, A4/US Letter) *	66 ppm	Product colour * Built-in display *	Black, White
Duplex print speed (black, normal quality, A4/US Letter)	40 ppm	Display	LCD
Time to first page (black, normal)	4 s	Colour display	10.0 (4.21)
Features		Display diagonal Touchscreen	10.9 cm (4.3")
Maximum duty cycle * Recommended duty cycle	350000 pages per month 5000 - 100000 pages per month	Control type	Touch
Page description languages *	Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3		RAL-UZ 205, ICES-003 Class A, BSMI Class A, VCCI Class A, US FDA, UL 60950-1, FCC Class A, CUL CAN /
Input & output capacity			CSA-C22.2 60950-1, NOM, CB EN / IEC 60950-1, CB EN / IEC 60825-1,
Total number of input trays * Total input capacity * Total output capacity * Paper input type Maximum number of input trays Maximum input capacity	2 650 sheets 550 sheets Paper tray 6 4400 sheets	Certification	CE DoC (EN 62301 Class A, EN 62311, CE EN / IEC 60950-1, CE EN / IEC 60825-1, EN 61000-3, EN 55022 Class A, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER
Maximum output capacity	2550 sheets	Power	
Paper handling		Dower consumention (ready)	38.5 W
		Power consumption (ready)	30.3 W
Maximum ISO A-series paper size *	A4	Power consumption (ready)  Power consumption (standby)	1.4 W
Maximum ISO A-series paper size * Paper tray media types *	Card stock, Envelopes, Labels, Plain	•	
	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal,	Power consumption (standby)	1.4 W
Paper tray media types *  Multi-purpose tray media types	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity	1.4 W 0.2 W
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies A4, A5, A6 Executive, Folio, Legal, Letter,	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)	1.4 W 0.2 W
Paper tray media types *  Multi-purpose tray media types ISO A-series sizes (A0A9) *	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies A4, A5, A6	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)  System requirements Windows operating systems	1.4 W 0.2 W 0.95 kWh/week
Paper tray media types *  Multi-purpose tray media types ISO A-series sizes (A0A9) *  Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes Paper tray media weight	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies A4, A5, A6 Executive, Folio, Legal, Letter, Oficio, Statement, Universal B5 7 3/4, 9, 10, B5, C5, DL	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)  System requirements Windows operating systems supported Mac operating systems supported Linux operating systems supported	1.4 W 0.2 W 0.95 kWh/week
Paper tray media types *  Multi-purpose tray media types ISO A-series sizes (A0A9) *  Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes Paper tray media weight  Ports & interfaces  Direct printing *	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies A4, A5, A6 Executive, Folio, Legal, Letter, Oficio, Statement, Universal B5 7 3/4, 9, 10, B5, C5, DL	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)  System requirements Windows operating systems supported Mac operating systems supported	1.4 W 0.2 W 0.95 kWh/week
Paper tray media types *  Multi-purpose tray media types ISO A-series sizes (A0A9) *  Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes Paper tray media weight  Ports & interfaces  Direct printing * USB port *	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies A4, A5, A6 Executive, Folio, Legal, Letter, Oficio, Statement, Universal B5 7 3/4, 9, 10, B5, C5, DL 60 - 176 g/m²	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)  System requirements Windows operating systems supported Mac operating systems supported Linux operating systems supported	1.4 W 0.2 W 0.95 kWh/week    SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows
Paper tray media types *  Multi-purpose tray media types ISO A-series sizes (A0A9) *  Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes Paper tray media weight  Ports & interfaces  Direct printing *	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies A4, A5, A6 Executive, Folio, Legal, Letter, Oficio, Statement, Universal B5 7 3/4, 9, 10, B5, C5, DL 60 - 176 g/m²	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)  System requirements Windows operating systems supported Mac operating systems supported Linux operating systems supported  Server operating systems supported  Operational conditions Operating temperature (T-T)	1.4 W 0.2 W 0.95 kWh/week   SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows Server 2012  10 - 32 °C
Paper tray media types *  Multi-purpose tray media types ISO A-series sizes (A0A9) *  Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes Paper tray media weight  Ports & interfaces  Direct printing * USB port * USB connector	Card stock, Envelopes, Labels, Plain paper, Transparencies Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies A4, A5, A6 Executive, Folio, Legal, Letter, Oficio, Statement, Universal B5 7 3/4, 9, 10, B5, C5, DL 60 - 176 g/m²	Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)  System requirements Windows operating systems supported Mac operating systems supported Linux operating systems supported  Server operating systems supported  Operational conditions	1.4 W 0.2 W 0.95 kWh/week   SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows Server 2012

Network		Sustainability	
Cabling technology	10/100/1000Base-T(X) 10,100,1000 Mbit/s HTTPS, IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMP, SNMPv3, SSL/TLS	Sustainability certificates	Blue Angel, ENERGY STAR
Ethernet LAN data rates		Weight & dimensions	
Security algorithms		Width	428 mm
		Depth	510 mm
Performance		Height	441 mm
Internal memory *	1024 MB	Weight	25.6 kg
Maximum internal memory	5120 MB	Packaging data	
Built-in processor	✓	Package width	550 mm
Processor frequency	1000 MHz	Package depth	650 mm
Processor cores	2	Package height	565 mm
		Package weight	30.6 kg

