

KYOCERA ECOSYS M5526cdw Laser A4 1200 x 1200 DPI 26 ppm Wi-Fi

Tuotemerkki : KYOCERA

Tuoteperhe: ECOSYS

Tuotekoodi: 1102R73NLO

Tuotteen nimi : M5526cdw

KYOCERA ECOSYS M5526cdw. Tulostustekniikka: Laser, Tulostus: Väritulostus, Suurin resoluutio: 1200 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 26 ppm. Kopiointi: Värikopiointi, Kopiointin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Yksittäisfaksin lähetys. Kaksipuolinen toiminto: Kopiointi, Faksi, Tulosta, Skannaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: musta, Valkoinen



Printing		Paper handling	
Duplex printing mode	Auto	Custom media width	70 - 216 mm
Print resolution colour	1200 x 1200 DPI	Custom media length	148 - 356 mm
Print resolution black	1200 x 1200 DPI	Paper tray media weight	60 - 163 g/m ²
Print technology *	Laser	Multi-Purpose Tray media weight	60 - 220 g/m ²
Printing *	Colour printing	Auto Document Feeder (ADF) media weight	50 - 160 g/m ²
Duplex printing *	✓	Duplex media weight	60 - 120 g/m ²
Maximum resolution *	1200 x 1200 DPI	Scan media weight	50 - 160 g/m ²
Print speed (black, normal quality, A4/US Letter) *	26 ppm	Media thickness (min)	0.11 mm
Print speed (colour, normal quality, A4/US Letter)	26 ppm	Ports & interfaces	
Print speed (black, draft quality, A4/US Letter)	26 ppm	Standard interfaces	Ethernet, USB 2.0, Wireless LAN
Print speed (colour, draft quality, A4/US Letter)	26 ppm	Direct printing *	✓
Duplex print speed (black, normal quality, A4/US Letter)	13 ppm	USB port	✓
Duplex print speed (colour, normal quality, A4/US Letter)	13 ppm	USB 2.0 ports quantity	2
Warm-up time	29 s	Network	
Time to first page (black, normal)	9.5 s	Wi-Fi *	✓
Time to first page (colour, normal)	10.5 s	Ethernet LAN *	✓
Print margins (top, bottom, right, left)	4.2 mm	Cabling technology	10/100/1000Base-T(X)
N-in-1 print function	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
		Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
		Bluetooth	✗
		Near Field Communication (NFC)	✗

Printing		Network	
Skip blank page function	✓	Security algorithms	3DES, AES, DES, HTTPS, IPsec, IPsec, IPsec, SHA-1, SHA-2, SNMPv3, SSL/TLS, TLS
Auto tray switching function	✓	Email protocols	POP3, SMTP
Tray priority settings function	✓	Email over SSL	✓
N-up printing	2, 4, 6, 8, 9, 16, 25	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Barcode printing	✓	Performance	
Watermark printing	✓	Maximum internal memory	1536 MB
Economical printing	✓	Memory slots	1
Secure printing	✓	Card reader integrated	✓
Poster printing function	✓	Internal memory *	512 MB
Secure PDF printing function	✓	Compatible memory cards	SD, SDHC
Eco printing function	✓	Built-in processor	✓
Copying		Processor family	ARM Cortex-A9
Duplex copying *	✓	Processor frequency	800 MHz
Duplex copying mode	Auto	Processor cores	1
Copying *	Colour copying	Sound pressure level (printing)	49 dB
Maximum copy resolution *	600 x 600 DPI	Sound pressure level (copying)	49 dB
Copy speed (black, normal quality, A4)	26 cpm	Sound pressure level (standby)	30 dB
Copy speed (colour, normal quality, A4)	26 cpm	Sound pressure level (quiet mode)	44 dB
Time to first copy (black, normal)	8 s	Design	
Time to first copy (colour, normal)	10 s	Product colour *	Black, White
Maximum number of copies	999 copies	Market positioning *	Home & office
Copier resize	25 - 400%	Built-in display *	✓
N-in-1 copy function	✓	Display	TFT
N-in-1 copy function (N=)	2, 4	Display diagonal	10.9 cm (4.3")
Copy programming function	✓	Display resolution	480 x 272 pixels
ID-card copy function	✓	Touchscreen	✓
Scanning		Control type	Touch
Duplex scanning *	✓	Colour display	✓
Duplex scanning mode	Auto	Power	
Scanning *	Colour scanning	Power consumption (max)	1090 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (average operating)	375 W
Scanner type *	Flatbed & ADF scanner	Power consumption (printing)	375 W
Scan technology	CIS/CCD	Power consumption (copying)	375 W
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA	Power consumption (ready)	41 W
Scan speed (colour)	23 ppm	Power consumption (sleep)	1 W
Scan speed (black)	30 ppm	Power consumption (off)	0.2 W
Duplex scan speed (colour)	16 ppm	Energy Star Typical Electricity Consumption (TEC)	1.024 kWh/week
Duplex scan speed (black)	24 ppm	AC input voltage	220 - 240 V
Image formats supported	JPEG, MMR, TIFF	AC input frequency	50 - 60 Hz
Document formats supported	PDF, XPS	System requirements	
Greyscale levels	256	Windows operating systems supported	✓
Scan drivers	TWAIN, WIA	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Scan speed (ADF, A4)	30 ppm	Linux operating systems supported	✓
Fax		Operational conditions	
Duplex faxing	✓	Operating relative humidity (H-H)	10 - 80%
Faxing *	Mono faxing	Storage temperature (T-T)	-20 - 40 °C
Fax resolution (black)	400 x 400 DPI	Operating temperature (T-T)	10 - 32.5 °C
Fax transmission speed	3 sec/page		
Modem speed	33.6 Kbit/s		
Fax memory	100 pages		
Fax coding methods	JBIG, MH, MMR, MR		
Features			
Recommended duty cycle	500 - 2000 pages per month		
Maximum duty cycle *	50000 pages per month		
Duplex functions *	Copy, Fax, Print, Scan		

Features		Operational conditions	
Digital sender	✓	Storage relative humidity (H-H)	10 - 90%
Number of print cartridges *	4	Operating altitude	0 - 3500 m
Printing colours *	Black, Cyan, Magenta, Yellow	Non-operating altitude	0.6 - 15000 m
Page description languages	Microsoft XPS, PCL 5c, PCL 6, PCL XL, PostScript 3	Certificates	
Number of printer fonts	93	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
All-In-One-multitasking	✓	Certification	TÜV/GS, CE, ISO 9001, ISO 14001
Replacement cartridges	TK-5240K, TK-5240C, TK-5240M, TK-5240Y	Sustainability	
Input & output capacity		Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Total number of input trays *	1	Weight & dimensions	
Total input capacity *	250 sheets	Width	417 mm
Total output capacity *	150 sheets	Depth	429 mm
Paper tray 1 input capacity	250 sheets	Height	495 mm
Multi-Purpose tray	✓	Weight	26 kg
Multi-Purpose tray input capacity	50 sheets	Packaging data	
Paper input type	Cassette, Paper tray	Package width	592 mm
Auto document feeder (ADF)	✓	Package depth	567 mm
Auto document feeder (ADF) input capacity	50 sheets	Package height	637 mm
Auto document feeder (ADF) output capacity	50 sheets	Package weight	33 kg
Maximum number of input trays	2	Packaging content	
Maximum input capacity	550 sheets	Cartridge(s) included	✓
Maximum output capacity	150 sheets	Included cartridge capacity (black)	1200 pages
Paper handling		Included cartridge capacity (CMY)	1200 pages
Maximum ISO A-series paper size *	A4	Imaging unit included	✓
Maximum print size	216 x 356 mm	Cables included	AC
Paper tray media types *	Letterhead, Plain paper, Pre-printed	Drivers included	✓
	Bond paper, Envelopes, Labels, Legal, Letter, Letterhead, Plain paper, Recycled paper, Thick paper, Thin paper	Manual	✓
Multi-purpose tray media types		Power cord included	✓
		Quick installation guide	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Logistics data	
ISO B-series sizes (B0...B9)	B5, B6	Harmonized System (HS) code	84433100
Non-ISO print media sizes	Legal, Letter	Technical details	
		Compliance certificates	REACH, RoHS
		Other features	
		Finishing option	✗
		Energy saving mode	✓
		Software CD	✓
		Documentation CD	✓



0632983036594



632983036594

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date