EPSON

Epson TM-L90-i label printer Direct thermal 180 x 180 DPI 150 mm/sec Wired

Brand : Epson

Product code: C31C412412

Product name : TM-L90-i

150 mm/sec, 180 Dpi, USB 2.0, 1600g

Epson TM-L90-i label printer Direct thermal 180 x 180 DPI 150 mm/sec Wired:

Intelligent label printer
Print thermal labels directly from devices running popular web browsers - no drivers needed.

Epson TM-L90-i Series
This gives you huge flexibility, as you can use the TM-L90-i with virtually any device and operating system. And as the TM-L90-i can control other Epson printers, it will enable you to add driverless printing capabilities to your existing printers.

The TM-L90-i simplifies servicing and maintenance and reduces your costs. It can be configured directly from web applications and, as it doesn't need a permanent connection to a PC or server, you need fewer pieces of equipment, cutting your energy bills and environmental impact.

Key Features
- Driverless;
- Print directly from web browsers;
- Flexible;
- Works with most devices and OS;
- Printers Hub;
- Controls additional printers;
- Easy maintenance;
- Configure from web applications;
- Saves money;
- Cuts bills and environmental impact.

Printing	
Print technology *	Direct thermal
Colour *	✗
Maximum resolution *	180 x 180 DPI
Print speed *	150 mm/sec
Printing colours	Black
Maximum printing width *	1.41 mm
Maximum print height	3.39 mm

Paper handling	
Autocutter	✔
Maximum roll diameter	9 cm
Autocutter durability	2000000 million cuts

Ports & interfaces	
Connectivity technology *	Wired
Wi-Fi *	✗
USB port *	✔
USB 2.0 ports quantity	1
RS-232 ports	1

Performance	
Print head life	150000000 million characters
Certification	TÜV, CE

Design	
Product colour *	Grey

Weight & dimensions	
Width	145 mm
Depth	195 mm
Height	148 mm
Weight	1.6 kg

Packaging data	
Quantity per pack	1 pc(s)
Package width	190 mm
Package depth	250 mm
Package height	240 mm
Package weight	2.8 kg

Packaging content	
AC adapter included	✔

Logistics data	
Products per pallet layer	16 pc(s)
Products per pallet layer (UK)	24 pc(s)
Products per pallet (UK)	168 pc(s)
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	179.5 cm
Harmonized System (HS) code	84433210
Pallet gross width	80 cm
Pallet gross length	120 cm
Pallet gross height	179.5 cm
Products per pallet	112 pc(s)

Operational conditions		**Other features**	
Operating relative humidity (H-H)	5 - 45%	Buffer size	4 KB
Storage relative humidity (H-H)	-10 - 50%	Country of origin	China
Operating temperature (T-T)	10 - 90 °C	Cabling technology	10/100Base-T(X)
Storage temperature (T-T)	10 - 90 °C		

8715946533568