

Epson TM-L90-i label printer Direct thermal 180 x 180 DPI 150 mm/sec Wired



Brand : Epson

Product code: C31C412412

Product name : TM-L90-i

150 mm/sec, 180 Dpi, USB 2.0, 1600g

Epson TM-L90-i label printer Direct thermal 180 x 180 DPI 150 mm/sec Wired:

Intelligent label printer

Print thermal labels directly from devices running popular web browsers - no drivers needed.

Epson TM-L90-i Series

This gives you huge flexibility, as you can use the TM-L90-i with virtually any device and operating system. And as the TM-L90-i can control other Epson printers, it will enable you to add driverless printing capabilities to your existing printers.

The TM-L90-i simplifies servicing and maintenance and reduces your costs. It can be configured directly from web applications and, as it doesn't need a permanent connection to a PC or server, you need fewer pieces of equipment, cutting your energy bills and environmental impact.

Key Features

- Driverless;
- Print directly from web browsers;
- Flexible;
- Works with most devices and OS;
- Printers Hub;
- Controls additional printers;
- Easy maintenance;
- Configure from web applications;
- Saves money;
- Cuts bills and environmental impact.

Printing		Weight & dimensions	
Print technology *	Direct thermal	Width	145 mm
Colour *	✘	Depth	195 mm
Maximum resolution *	180 x 180 DPI	Height	148 mm
Print speed *	150 mm/sec	Weight	1.6 kg
Printing colours	Black	Packaging data	
Maximum printing width *	1.41 mm	Quantity per pack	1 pc(s)
Maximum print height	3.39 mm	Package width	190 mm
Paper handling		Package depth	250 mm
Autocutter	✓	Package height	240 mm
Maximum roll diameter	9 cm	Package weight	2.8 kg
Autocutter durability	2000000 million cuts	Packaging content	
Ports & interfaces		AC adapter included	✓
Connectivity technology *	Wired	Logistics data	
Wi-Fi *	✘	Products per pallet layer	16 pc(s)
USB port *	✓	Products per pallet layer (UK)	24 pc(s)
USB 2.0 ports quantity	1	Products per pallet (UK)	168 pc(s)
RS-232 ports	1	Pallet length (UK)	120 cm
Performance		Pallet width (UK)	100 cm
Print head life	150000000 million characters	Pallet height (UK)	179.5 cm
Certification	TÜV, CE	Harmonized System (HS) code	84433210
Design		Pallet gross width	80 cm
Product colour *	Grey	Pallet gross length	120 cm
Operational conditions		Pallet gross height	179.5 cm
Operating relative humidity (H-H)	5 - 45%	Products per pallet	112 pc(s)

Operational conditions		Other features	
Storage relative humidity (H-H)	-10 - 50%	Buffer size	4 KB
Operating temperature (T-T)	10 - 90 °C	Country of origin	China
Storage temperature (T-T)	10 - 90 °C	Cabling technology	10/100Base-T(X)



8715946533568

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-OCT-2024. Prints or copies of Information are only valid on the printed Publication date