

## ATEN CM1164A KVM-kytkin Telineasennus musta

**Tuotemerkki :** ATEN

**Tuotekoodi:** CM1164A-AT-G

**Tuotteen nimi :** CM1164A



ATEN CM1164A. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DVI-D. HD-tyyppi: Full HD, Enimmäiserottelutarkkuus: 1920 x 1200 pikseliä, Videokaistanleveys: 60 Hz. Tuotteen väri: musta, Telineen kapasiteetti: 1U, Kotelon materiaali: Metall. Voimanlähde: AC, Tulojännite: 110 - 220 V, AC-syöttötaajuus: 50 - 60 Hz. Vaatimustenmukaisuustodistukset: RoHS

<b>Ports &amp; interfaces</b>		<b>Display</b>	
Number of computers controlled *	4	On Screen Display (OSD)	✓
Keyboard port type *	USB	<b>Power</b>	
Mouse port type *	USB	Power source	AC
Video port type *	DVI-D	Input voltage	110 - 220 V
DVI-D ports quantity	5	AC input frequency	50 - 60 Hz
USB 2.0 Type-B ports quantity	4	Power consumption (typical)	9.7 W
Console ports *	3.5mm headphone, DVI-D, RJ-45, USB A	<b>Sustainability</b>	
Console USB ports quantity	2	Compliance certificates	RoHS
USB hub	✓	<b>Operational conditions</b>	
USB 2.0 Type-A hub ports quantity	2	Operating temperature (T-T)	0 - 40 °C
USB connector type	USB Type-A, USB Type-B	Storage temperature (T-T)	-10 - 60 °C
Audio connections	✓	Operating relative humidity (H-H)	0 - 80%
Headphone outputs	6	<b>Weight &amp; dimensions</b>	
Number of microphone inputs	6	Width	437.2 mm
<b>Network</b>		Depth	164 mm
Ethernet LAN	✓	Height	44 mm
Ethernet LAN (RJ-45) ports	2	Weight	3.98 kg
<b>Performance</b>		<b>Packaging data</b>	
HD type *	Full HD	Package width	131 mm
Maximum resolution *	1920 x 1200 pixels	Package depth	540 mm
Video bandwidth	60 Hz	Package height	233 mm
Scan interval	5,10,15,30,60,90 s	Package weight	4.43 kg
HDCP	✓	<b>Packaging content</b>	
Daisy chain	✓	Cables included	KVM
<b>Design</b>		Manual	✓
Rack mounting *	✓	AC adapter included	✓
Rack capacity	1U	Rack mount kit	✓
Product colour *	Black	<b>Logistics data</b>	
Housing material	Metal	Master (outer) case net weight	11.9 kg
Cascadable	✓	Harmonized System (HS) code	85176200
LED indicators	✓	Master (outer) case width	420 mm

Design		Logistics data	
Push button	✓	Master (outer) case length	555 mm
Hot keys	✓	Master (outer) case height	255 mm
<b>Display</b>		Master (outer) case gross weight	14.1 kg
Built-in display *	✗	Products per master (outer) case	3 pc(s)



4719264646867

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-MAR-2025. Prints or copies of Information are only valid on the printed Publication date