

TP-Link Omada EAP110-Outdoor 300 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : TP-Link Tuoteperhe: Omada Tuotekoodi: EAP110-OUTDOOR

V3

Tuotteen nimi: EAP110-

Outdoor

TP-Link Omada EAP110-Outdoor. 2,4 GHz, Tiedonsiirron enimmäisnopeus: 300 Mbit/s. Tietoturvaalgoritmit: WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK. Ethernet LAN -datanopeudet: 10,100 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen. Tehonkulutus (maks.): 3,12 W





Features		Design	
2.4 GHz *	✓	Placement *	Pole, Wall
5 GHz *	×	Product colour *	White
6 GHz *	×	International Protection (IP) code	IP65
Maximum data transfer rate *	300 Mbit/s	Reset button	•
Maximum data transfer rate (2.4 GHz)	300 Mbit/s	LED indicators Antenna	Power
Ethernet LAN data rates	10,100 Mbit/s	Antenna type *	External
Frequency band	2.4 GHz	Antenna direction type	Omni-directional
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antenna features	Detachable antenna
Automatic channel selection	✓	Antennas quantity	2
Wi-Fi Multimedia (WMM)/(WME)	✓	Antenna gain level (max)	3 dBi
VLAN support	✓	Performance	
Virtual LAN features	Tagged VLAN, VLAN mapping	Compatible operating systems	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10
Rate limiting	✓	Certificates	
Wireless isolation Quality of Service (QoS) support	<i>y</i>	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Transmitting power (CE)	20 dBm	Certification	CE, FCC, RoHS
Transmitting power (FCC)	22 dBm	Weight & dimensions	
Security		Width	216 mm
Security algorithms *	WPA-Enterprise, WPA-PSK, WPA2- Enterprise, WPA2-PSK	Depth	46 mm
MAC address filtering		Height	27 mm
3	✓	Packaging data	
Service Set Identifier (SSID) features	Multiple SSIDs	Package width	140 mm
Number of SSID supported	8	Package depth	270 mm
Remote Authentication Dial-In User	✓	Package height	100 mm
Service (RADIUS)		Package weight	620 g
Access Control List (ACL)	✓	Package type	Box

Protocols		Packaging content	
Management protocols	HTTP/HTTPS, SNMP, Telnet	Quantity per pack	1 pc(s)
Management features		PoE adapter included	✓
Web-based management	✓	Cables included	AC
Syslog	✓	Mounting kit	✓
Ports & interfaces		Antenna included	✓
Ethernet LAN (RJ-45) ports *	1	Operational conditions	
	1	Operating relative humidity (H-H)	10 - 90%
Power		Operating temperature (T-T)	-30 - 65 °C
Power over Ethernet (PoE) *	✓	Storage temperature (T-T)	-40 - 70 °C
Power over Ethernet (PoE) type supported	Passive PoE	Storage relative humidity (H-H)	5 - 90%
Output voltage	24 V	Sustainability	
Output current	0.6 A	Sustainability compliance	✓
Power consumption (max)	3.12 W		









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.