

KYOCERA ECOSYS P8060cdn Colour 4800 x 1200 DPI A3+

Brand : KYOCERA

Product code: 1102RR3NLO

Product name : ECOSYS P8060cdn

9" Color TSI, Freescale QorIQ T1024 (Dual Core) 1.2 GHz, 60 ppm B&W, 55 ppm Color, 1200 x 1200 dpi, A3, 4GB RAM, 8GB SSD + 320GB HDD, Gigabit LAN, USB 2.0
 KYOCERA ECOSYS P8060cdn. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 250000 pages per month. Maximum resolution: 4800 x 1200 DPI. Maximum ISO A-series paper size: A3+. Print speed (black, normal quality, A4/US Letter): 60 ppm, Duplex printing. Display: LCD. Network ready. Product colour: Black



Printing		Network	
Duplex printing mode	Auto	Network ready	✓
Print resolution colour	1200 x 1200 DPI	Wi-Fi *	✗
Print resolution black	1200 x 1200 DPI	Ethernet LAN *	✓
Print speed (colour, normal quality, A4/US Letter)	55 ppm	Cabling technology	10/100/1000Base-T(X)
Colour *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Print technology *	Laser	Security algorithms	802.1x RADIUS, HTTPS, IPSEC, SNMPv3
Duplex printing *	✓	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Maximum resolution *	4800 x 1200 DPI	Performance	
Print speed (black, normal quality, A4/US Letter) *	60 ppm	Internal memory *	4096 MB
Print speed (black, normal quality, A3)	30 ppm	Maximum internal memory	4096 MB
Print speed (colour, normal quality, A3)	27 ppm	Internal storage capacity	328 GB
Warm-up time	17 s	Storage media	HDD
Time to first page (black, normal)	3.8 s	Flash memory	8 MB
Time to first page (colour, normal)	5.1 s	Built-in processor	✓
Secure printing	✓	Processor frequency	1200 MHz
Features		Processor cores	2
Maximum duty cycle *	250000 pages per month	Sound pressure level (printing)	55.5 dB
Recommended duty cycle	20000 - 30000 pages per month	Noise level (ready)	19 dB
Printing colours *	Black, Cyan, Magenta, Yellow	Design	
Number of print cartridges *	4	Market positioning *	Business
Page description languages *	PCL 5c, PCL 6, PCL XL, PDF 1.6, PDF 1.7	Product colour *	Black
Average cartridge yield (black)	30000 pages	Built-in display *	✓
Average cartridge yield (CMY)	20000 pages	Display	LCD
Replacement cartridges	TK-8800K, TK-8800C, TK-8800M, TK-8800Y	Colour display	✓
Input & output capacity		Display diagonal	22.9 cm (9")
Total number of input trays *	2	Touchscreen	✓
Total input capacity *	1150 sheets	Control type	Touch
Total output capacity *	500 sheets	Certification	TÜV-GS, CE
Paper input type	Cassette	Power	
Multi-Purpose tray	✓	Power consumption (printing) *	960 W
Multi-Purpose tray input capacity	150 sheets	Power consumption (standby)	60 W
Maximum number of input trays	5	Power consumption (off)	1 W
Maximum input capacity	7150 sheets	Energy Star Typical Electricity Consumption (TEC)	3.28 kWh/week
Maximum output capacity	4000 sheets	AC input voltage	220 - 240 V
		AC input frequency	50 - 60 Hz

Paper handling		System requirements	
Maximum ISO A-series paper size *	A3+	Windows operating systems supported	✓
Paper tray media types *	Bond paper, Card stock, Envelopes, Labels, Plain paper, Recycled paper, Transparencies	Mac operating systems supported	Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Multi-purpose tray media types	Banner, Glossy paper, Hole punched paper, Labels, Letterhead, Plain paper, Recycled paper, Thick paper, Thicker paper, Transparencies	Linux operating systems supported	✓
ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6	Sustainability	
Paper tray media weight	52 - 300 g/m ²	Sustainability certificates	Blue Angel, ENERGY STAR
Multi-Purpose Tray media weight	52 - 300 g/m ²	Weight & dimensions	
Ports & interfaces		Width	602 mm
Standard interfaces	RJ-45, USB 2.0	Depth	665 mm
Direct printing *	✓	Height	790 mm
USB port *	✓	Weight	89 kg
USB 2.0 ports quantity	5	Packaging content	
Optional connectivity	Wireless LAN	Cartridge(s) included	✓
		Cables included	AC
		Logistics data	
		Harmonized System (HS) code	84433210
		Other features	
		Power LED	✓
		Stand-by LED	✓



0632983046227



632983046227

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-NOV-2024. Prints or copies of Information are only valid on the printed Publication date