

KYOCERA ECOSYS M2635dn Laser A4 1200 x 1200 DPI 35 ppm

Tuotemerkki : KYOCERA

Tuoteperhe: ECOSYS

Tuotekoodi: 1102S13NLO

Tuotteen nimi : M2635dn

KYOCERA ECOSYS M2635dn. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 1200 x 1200 DPI. Kopiointi: Yksittäiskopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Yksittäisfaksin lähetyks. Kaksipuolinen toiminto: Tulosta. Suurin ISO A-luokan paperikoko: A4. Suoratulostus. Tuotteen väri: musta, Valkoinen



Printing		Paper handling	
Duplex printing mode	Auto	Multi-Purpose Tray media weight	60 - 220 g/m ²
Print technology *	Laser	Duplex media weight	60 - 163 g/m ²
Printing *	Mono printing	Ports & interfaces	
Duplex printing *	✓	Standard interfaces	Ethernet, USB 2.0
Maximum resolution *	1200 x 1200 DPI	Direct printing *	✓
Print speed (black, normal quality, A4/US Letter) *	35 ppm	USB port	✓
Duplex print speed (black, normal quality, A4/US Letter)	17.5 ppm	USB 2.0 ports quantity	2
Warm-up time	17 s	Network	
Time to first page (black, normal)	6.8 s	Wi-Fi *	✗
N-in-1 print function	✓	Ethernet LAN *	✓
Tray priority settings function	✓	Cabling technology	10/100/1000Base-T(X)
N-up printing	2, 4	Ethernet LAN data rates	10,100,1000 Mbit/s
Barcode printing	✓	Bluetooth	✗
Watermark printing	✓	Near Field Communication (NFC)	✗
Secure printing	✓	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Booklet printing function	✓	Performance	
Poster printing function	✓	Maximum internal memory	1536 MB
Borderless printing	✗	Card reader integrated	✓
Copying		Internal memory *	512 MB
Duplex copying *	✗	Compatible memory cards	SD, SDHC
Copying *	Mono copying		

Copying		Performance	
Maximum copy resolution *	600 x 600 DPI	Built-in processor	✓
Copy speed (black, normal quality, A4)	35 cpm	Processor family	ARM Cortex-A9
Time to first copy (black, normal)	6.9 s	Processor frequency	800 MHz
Maximum number of copies	999 copies	Sound pressure level (printing)	51 dB
Copier resize	25 - 400%	Sound pressure level (copying)	51 dB
N-in-1 copy function	✓	Sound pressure level (quiet mode)	47 dB
N-in-1 copy function (N=)	2, 4	Sound power level (standby)	29 dB
Copy programming function	✓	Design	
ID-card copy function	✓	Product colour *	Black, White
Scanning		Market positioning *	Business
Duplex scanning *	✗	Built-in display *	✓
Scanning *	Colour scanning	Display	LCD
Optical scanning resolution *	600 x 600 DPI	Display number of lines	5 lines
Scan technology	CIS	Power	
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA	Power consumption (average operating)	661 W
Scan speed (colour)	23 ppm	Power consumption (printing)	661 W
Scan speed (black)	40 ppm	Power consumption (copying)	661 W
Image formats supported	JPEG, TIF	Power consumption (ready)	21 W
Document formats supported	PDF, XPS	Power consumption (sleep)	1 W
Scan drivers	TWAIN, WIA	Energy Star Typical Electricity Consumption (TEC)	1.47 kWh/week
Fax		AC input voltage	220 - 240 V
Duplex faxing	✗	AC input frequency	50 - 60 Hz
Faxing *	Mono faxing	System requirements	
Fax resolution (black)	400 x 400 DPI	Windows operating systems supported	✓
Fax transmission speed	3 sec/page	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Modem speed	33.6 Kbit/s	Linux operating systems supported	✓
Fax coding methods	JBIG, MH, MMR, MR	Operational conditions	
Features		Operating relative humidity (H-H)	10 - 80%
Recommended duty cycle	1000 - 2500 pages per month	Storage temperature (T-T)	-20 - 40 °C
Maximum duty cycle *	20000 pages per month	Operating temperature (T-T)	10 - 32.5 °C
Duplex functions *	Print	Storage relative humidity (H-H)	10 - 90%
Digital sender	✓	Operating altitude	0 - 3500 m
Number of print cartridges *	1	Non-operating altitude	0.6 - 15000 m
Printing colours *	Black	Certificates	
Page description languages	Microsoft XPS, PCL 5e, PCL 6, PCL XL, PostScript 3	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Number of printer fonts	93	Certification	GS, TÜV, CE, ISO 9001, ISO 14001
Replacement cartridges	TK-1150 (3.000 pagina's)	Sustainability	
Input & output capacity		Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Total number of input trays *	1	Weight & dimensions	
Total input capacity *	250 sheets	Width	417 mm
Total output capacity *	150 sheets	Depth	412 mm
Paper tray 1 input capacity	250 sheets	Height	437 mm
Multi-Purpose tray	✓	Weight	19 kg
Multi-Purpose tray input capacity	100 sheets	Packaging data	
Paper input type	Cassette, Paper tray	Package width	541 mm
Auto document feeder (ADF)	✓	Package depth	555 mm
Auto document feeder (ADF) input capacity	50 sheets		
Maximum number of input trays	3		
Maximum input capacity	850 sheets		
Maximum output capacity	150 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Maximum print size	216 x 356 mm		
Paper tray media types *	Plain paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6		

Paper handling		Packaging data	
ISO B-series sizes (B0...B9)	B5, B6	Package height	572 mm
Non-ISO print media sizes	Legal, Letter	Package weight	25 kg
Custom media width	70 - 216 mm	Packaging content	
Custom media length	148 - 356 mm	Cartridge(s) included	✓
Paper tray media weight	60 - 163 g/m ²	Included cartridge capacity (black)	1000 pages
		Imaging unit included	✓
		Cables included	AC
		Logistics data	
		Harmonized System (HS) code	84433100
		Technical details	
		Compliance certificates	REACH, RoHS
		Other features	
		Cartridge type	TK-1150



0632983040270



632983040270

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.