

## D-Link DIS-100E-5W verkkokytkin Hallitsematon L2 Fast Ethernet (10/100) musta

**Tuotemerkki :** D-Link

**Tuotekoodi:** DIS-100E-5W

**Tuotteen nimi :** DIS-100E-5W

D-Link DIS-100E-5W. Kytin tyyppi: Hallitsematon, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Fast Ethernet (10/100), Basic kytkentä RJ-45 Ethernet-porttien määrä: 5. Täysin kaksipuolinen. MAC-osoitetaulukko: 1000 entries. Verkkostandardit: IEEE 802.3x. DC-syöttöjännite: 12 - 58 V. Seinäkiinnitteinen, Telineasennus



Management features		Operational conditions	
Switch type *	Unmanaged	Operating temperature (T-T)	-40 - 75 °C
Switch layer	L2	Storage temperature (T-T)	-40 - 85 °C
<b>Ports &amp; interfaces</b>		Operating relative humidity (H-H)	5 - 95%
Basic switching RJ-45 Ethernet ports quantity *	5	<b>Weight &amp; dimensions</b>	
Basic switching RJ-45 Ethernet ports type *	Fast Ethernet (10/100)	Width	29.1 mm
Relay outputs	1	Depth	89.4 mm
<b>Network</b>		Height	109.2 mm
Networking standards *	IEEE 802.3x	Weight	320 g
10G support *	✗	<b>Packaging data</b>	
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 100BASE-T	Package width	140 mm
Full duplex	✓	Package depth	178 mm
Flow control support	✓	Package height	83 mm
Broadcast storm control	✓	Package weight	488 g
Auto MDI/MDI-X	✓	<b>Technical details</b>	
Auto-negotiation	✓	Shipping (inner) case height	20 cm
<b>Data transmission</b>		Shipping (inner) case width	30.5 cm
MAC address table *	1000 entries	Shipping (inner) case length	43 cm
Store-and-forward	✓	Shipping (inner) case net weight	5.78 kg
<b>Design</b>		Products per shipping (inner) case	10 pc(s)
Rack mounting *	✓	Pallet gross weight (air)	226.4 kg
Stackable *	✓	Master (outer) cases per pallet (air)	36 pc(s)
Product colour	Black	Products per pallet (air)	360 pc(s)
International Protection (IP) code	IP30	Pallet gross length	120 cm
Wall mountable	✓	Pallet gross width	110 cm
		Pallet height (air)	135 cm
		Pallet gross weight (sea)	330.7 kg
		Master (outer) cases per pallet (sea)	54 pc(s)

<b>Design</b>		<b>Technical details</b>	
DIN rail mounting	✓	Products per pallet (sea)	540 pc(s)
<b>Performance</b>		Pallet height (sea)	195 cm
Plug and Play	✓	Shipping (inner) case gross weight	5.79 kg
Mean time between failures (MTBF)	219000 h	<b>Certificates</b>	
<b>Power</b>		Certification	UL 60950-1 CE FCC
DC input voltage	12 - 58 V	<b>Logistics data</b>	
Power consumption (typical)	0.95 W	Harmonized System (HS) code	85176990
Power consumption (max)	1.56 W		
<b>Power over Ethernet (PoE)</b>			
Power over Ethernet (PoE) *	✗		



0790069441271



790069441271

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.