ASUS WS C246M PRO Intel C246 LGA 1151 (Socket H4) micro ATX

Brand : ASUS Product code: 90SW00E0-M0EAY0

Product name: WS C246M PRO

- Rack-optimized design for better cooling efficiency and stability
- Supports up to three independent displays simultaneously via HDMI, DisplayPort and VGA
- Accelerated data-transfer speeds of up to 32Gbps with $\ensuremath{\text{M.2}}$
- Onboard USB 3.1 for fast transfer speeds of up to 10Gbps
- Dual Intel® Gigabit LAN with teaming support
- ASUS Control Center A software utility that provides convenient, secure and cost-saving centralized IT management for small and medium businesses Intel C246, DDR4 2666/2400/2133, 64GB Max, Ethernet, USB 3.1, UATX





Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Microphone in	✓
Processor socket *	LGA 1151 (Socket H4) Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Pentium®, Intel® Xeon® LGA 1151 (Socket H4)	Network	
Compatible processor series * Supported processor sockets		Ethernet LAN LAN controller Wi-Fi *	✓ Intel® I210-AT, Intel I219LM
Memory	20. (200 kg :)	Features	
Supported memory types * Number of memory slots * Memory slots type Memory channels Supported memory clock speeds	DDR4-SDRAM 4 DIMM Dual-channel 2133,2400,2666 MHz	Motherboard chipset * Audio output channels * Component for * Motherboard form factor * Motherboard chipset family *	Intel C246 8.0 channels PC micro ATX Intel
Maximum internal memory *	64 GB	Expansion slots	
Storage controllers Supported storage drive interfaces	* SATA III	PCI Express x1 (Gen 2.x) slots PCI Express x16 (Gen 3.x) slots	1 1
Internal I/O		Logistics data	
USB 2.0 connectors *	2	Harmonized System (HS) code	84733020
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Packaging data	
ATX Power connector (24-pin) Number of COM connectors TPM connector	✓ 1 ✓	Package width Package depth Package height	367 mm 353 mm 300 mm
Rear panel I/O ports		Weight & dimensions	
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Width Depth	244 mm 244 mm
ports quantity *	۷	Packaging content	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Cables included	SATA
Ethernet LAN (RJ-45) ports *	2	Manual	✓
VGA (D-Sub) ports quantity *	1	Other features	
HDMI ports quantity * DVI-D ports quantity * Headphone outputs	1 1 1	PCI Express x4 (Gen 3.x) slots Maximum UDIMM memory Quick installation guide	1 64 GB
		quick installation galac	•





4712900981636

0889349981634



889349981634

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.